APPLIANCES

U-LINE COMBOS • ICEMAKERS & FREEZERS





Model 29 Refrigerator

- · Mechanical dial control
- · Mechanically controlled passive cooling system
- Refrigeration capacity of 3.3 cubic feet
- Non-lock models will accept a 1/4" insert panel
- · Can be ordered with an optional lock
- ENERGY STAR and CEE Tier 1 rated
- ADA height compliant

Dimensions: 28-1/2" H x 20-7/8 W x 23" D. Shipping weight 92 lbs.

Order No	Mfg No	Color	List
231799	U-29RB-00A	Black	\$1,369.00
231802	U-29RW-00A	White	\$1,369.00





Model 29 Refrigerator/Icemaker Combo

- Mechanical dial control.
- Mechanical controlled passive cooling system.
- Daily ice rate up to 18 lbs.
- · Ice storage capacity up to 13 lbs.
- Refrigeration capacity of 2.1 cubic feet.
- Black model will accept a 1/4" insert panel.
- No drain allows for easy, convenient and inexpensive installation.

Dimensions: 28-1/2" H x 20-13/16" W x 23" D

(Add 15/16" to depth for waterline clearance. Total required depth: 24")

Shipping weight 92 lbs.

Order No	Mfg No	Color	List
231396	ULN-C029B-03A	Black	\$1,849.99
231388	ULN-C029W-03A	White	\$1,879.99



Model75 Refrigerators

- Volume of 5.2 cu ft holds up to 123 bottles (12 oz) or 185 cans (12 oz).
- Digital Touch Pad Control is conveniently located on upper face of unit.
- Temperature range: 34°F 45°F.
- · Maintains temperature to within 1°F of the set point to maximize preservation.
- White interior is illuminated with LED lighting.
- Three removable tempered glass shelves.

34-1/8" H x 24" W x 23-1/4" D

109 lbs.

Order No	Mfg No	Color	List
231399	U-1224RB-00A	Black	\$2,059.00
231391	ULN-1224RW-00A	White	\$2,059.00





Model 95 Built-in Icemaker

- High output daily ice rate of up to 23 lbs and storage of up to 12 lbs of crescent ice
- . Conserves energy by using less electricity than a 75-watt light bulb.
- . Uses under 3 gallons of water to produce 25 lbs of ice.
- · No drain required makes it easy to install and requires only a 1/4" O.D. water line.
- · Manual defrost maximizes ice making potential
- Vinvl coated cabinet helps withstand tough marine environments.
- Dimensions: 25-1/4" H x 13-15/16 in. W (Including flange: 15-1/16") x 17" D (Add 1-1/2 in. to depth for waterline clearance. Total required depth: 18-1/2 in.)

Order No	Mfg No	Voltage	Color	List
231371	ULN-W95FC- 03A	110 VAC	White	\$1,459.00
231367	ULN- BI95FCB-03A	110 VAC	Black	\$1,399.00
231959	ULN- BI95FCB-20A	220 VAC W/ European Plug*	Black	\$1,459.00

*Cord not included. Order seperately below.

Order No	Mfg No	Color	List
231972	80-54733-00	220 V Cord w/ European Plug	\$41.24





Model SP-18 Compact Icemakers

- High output daily ice rate of up to 23 lbs & storage of up to 12 lbs of crescent ice.
- · Uses under 3 gallons of water to produce 25 lbs of ice.
- No drain required makes it easy to install and requires only a 1/4" O.D. water line
- · Manual defrost maximizes ice making potential.
- · Vinyl coated cabinet helps withstand tough marine environments
- · Black model will accept a 1/4" insert panel.
- 1/2" wide mounting flange flush to cabinet.
- · No additional clearance around sides, top or rear of unit is needed for ventilation.

Dimensions: 18-7/8" H x 13-15/16" W (Including flange: 15-1/8 in.) x 24-1/2" D. (Add 1-1/2 in. to depth for waterline clearance. Total required depth: 26".)

All models are 110 VAC @ 2.5 Amps. Shipping weight 67 lbs.

Order No	Mfg No	Color	List
231795	ULN-SP1FCW-03A	White	\$1,559.00
231936	ULN-SP18FCB-03A	Black	\$1,539.00





SS1095NF-03







SS1095FD-03

U-Line SS1095 Stainless Steel Icemakers

- . Daily ice rate of up to 23 lbs and storage of up to 12 lbs of crescent ice.
- · Conserves water by using 3 gallons of water to produce approx. 23 lbs of ice.
- · No drain required makes it easy to install and requires only a 1/4" O.D. water line.
- · Manual defrost maximizes ice making potential.
- Full stainless steel cabinet helps withstand tough marine environments.
- No additional clearance around sides, top or rear of unit is needed for ventilation
- · Do not obstruct front grille air flow.
- 115 V @ 2.5 Amps when running.

Dimensions: NF 25-1/16" H x 14" W x 17" D; FC 25-1/8" H x 15-1/8" W x 17" D

Order No	Mfg No	Descrip- tion	List
231915	ULN-SS1095NF-03A	No flange	\$1,699.00
231920	ULN-SS1095FC-03A	Flange flush with cabinet	\$1,799.00
231948	ULN-SS1095FD-03A	Flange flush w/ door	\$1,799.00







Black

Stainless Steel Model 98 Crescent Icemaker

- · Daily ice rate of up to 25 lbs and storage of up to 25 lbs of crescent ice
- · Conserves energy by using less electricity than a 75-watt light
- Uses under 3 gallons of water to produce 25 lbs of ice.
- · No drain required makes it easy to install and requires only a 1/4" O.D. water line.
- · Manual defrost maximizes ice making potential.
- · Stainless steel cabinet helps withstand tough marine environ-

27 2/0" H v 1/1 15/16" M v 20" D

DIMENSIONS: 27-3/8" H X 14-15/16" W X 20" D.					
Order No	Mfg No	Voltage	Fin- ish	List	
231376	ULN-SS98NF- 03A	110 VAC	S/S	\$1,679.00	
231965	ULN-SS98NF- 20A	220 VAC W/ European Plug*	S/S	\$1,649.00	
231346	ULN-BI98WH- 00A	110 VAC	White	\$1,439.00	
231357	ULN-BI98B- 00A	110 VAC	Black	\$1,439.00	

*Cord not included. Order senerately below

our not melaucu. Order seperately below.				
Order No	Mfg No	Color	List	
231972	80-54733-00	220 V Cord w/ European Plug	\$41.24	

U·LINE

U-Line Door Gaskets

No No	Wilg No	item	LIST
269003	80-54545-00	White Model 29 Door Gasket	\$38.74
269004	80-54515-00	Black Model 29 Door Gasket	\$38.74
269021	80-54685-00	White Model 75 Door Gasket	\$43.74
269020	80-54684-00	Black Model 75 Door Gasket	\$44.99
269001	80-54617-00	White Model 95 Door Gasket	\$36.24
269002	80-54653-00	Gray Model 95 Door Gasket	\$36.24
269006	80-54602-00	White Model 98 Door Gasket	\$34.99
269005	80-54595-00	Gray Model 98 Door Gasket	\$33.74







80-54627-00

U-Line Door Assemblies

Order No	Mfg No	Item	List
269117	80-54548-00	White Model 29 Door Assembly	\$368.74
269063	80-54627-00	White Model 95 Door Assembly	\$229.99






80-54378-00





80-54575-00 **U-Line Motors and Switches**

Order No	Mfg No	Item	List
102977	80-54378- 00	Fan Motor for All Units	\$42.49
		Cold Control	















II-I ine Door Hinges and Pins

D-Line Door Hinges and Fins				
Order No	Mfg No	Item	Only	
269142	80-54400-00	TP91 Gray Travel Pin	\$38.74	
269007	80-54710-00	White Threaded Lower Hinge	\$32.49	
269008	80-54709-00	Black Lower Threaded Hinge	31.24	
269019	TP98-KIT-1	TP98 White Travel Pin	\$12.48	



Over 350 brand name maufacturers

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday. Our knowledgeable & friendly staff is ready to help you. Call Debbie Senti at 954-463-4307 ext. 313 Call Jim Haun at 954-463-4307 ext. 304 Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell) Email: johnc@dshullco.com

Call Pamela Hutchisson at 954-463-4307 ext. 322 Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)









80-54778-00

80-54311-00



80-54386-00



31501



628123-S





80-51074-00

U-Line Ice Maker Parts

Order No	Mfg No	Item	List
230082	IC-100A	Ice Maker Water Filter	\$18.15
230080	760008	Ice Maker Installation Kit	\$17.90
102970	80-54778-00	Water Line Fitting	\$13.74
102971	80-54722-00	41223 Water Line	\$14.99
102980	80-54356-00	Water Solenoid Valve	\$82.49
102986	80-54611-00	Model 95 Clear Ice Bucket	\$53.74
102987	80-54386-00	Model 98 Clear Ice Bucket	\$89.99
269038	80-54741-00	Clear Ice Buck- ets - Combo	\$111.24
269041	80-54577-00	Ice Bucket F/ Combo 29 & 75	\$89.99
102969	80-54372-00	Ice Maker As- sembly	\$318.74
269161	80-54523-00	Icemaker Face Plate Assembly	\$76.24
269172	80-51074-00	Icemaker Assembly 220 VDC	\$318.74



Model 424G



- (750 ml) bottle capacity. UV resistant glass protection
- UL approved for US and Canada
- Soft low voltage lighting
- Sturdy, rustproof wire shelves accommodate standard 750 ml bottles, half-bottles, as well as magnums
- Refrigeration system allows individual temperature control of the two wine compartments and ideal humidity environment Temperature range is 39°F (4°C) to 65°F (18°C)

Order No	Mfg No	List
106271	424G/S/TH-RH	\$4,510.40



APPLIANCES

SUB-ZERO • SCOTSMAN APPLIANCES

SUB-ZERO

Sub-Zero UC-2 Undercounter Refrigerators

- Easy-access electronic controls with LCD display
- Two-liter bottle storage
- Adjustable, spill-proof cantilever glass shelves and spill-proof glass floor

Clear utility bin for storage of smaller items
 Electrical Requirements: 115 VAC, 60 Hz, 15-amp circuit.

UL approved for US and Canada.

Dimensions: W 23-7/8" H 34" D 24".

Face panels not included.

Order No	Mfg No	Door Swing	List
106196	UC-24R-RH	Right Hand	\$2,598.00
106207	UC-24R-LH	Left Hand	\$2,598.00

Model 315-WH Stainless Steel Wine Storage

- Storage capacity 26 (750ml) bottle capacity.
- Compact width 15-1/8" width allows for placement in locations with limited space available.
- Design options overlay and classic stainless steel design options.
- Interior lighting low-voltage lighting is independent of door opening.
- Roller-glide shelves faced with natural cherry wood have a three-quarter extension for easy access to all bottles of stored wine with the door at 90 degrees.
- Right-hand door.

Order No	Mfg No	List
106267	315/S/TH-RH	\$2,884.80





7010609



SUB-ZERO



4200520

Subzero Spare Parts & Accessories

Order No	Mfg No	Item	List
103074	7010609	Gasket for 249 Series	\$103.50
103086	7015720	Thermostat for 249FF	\$145.60
103097	7014660	Thermostat for 249RP	\$158.60
103112	4200520	Ice Maker Assembly (Fits most Sub Zero units) 249 Series & 700 Series	\$354.38
103098	7010589	Top Door Gasket 700 Series	\$103.50
103100	7010590	Lower Door Gasket 700 Series	\$103.50
103125	7012333	lcemaker Filter	\$97.56

izotherm

Isotemp Stainless Steel Marine Water Heaters

- Specifically designed for use in the demanding marine environment.
- Built using the highest quality components to ensure superior product performance.
- · Brushed stainless steel cover as well as 316-grade acid resistant stainless steel inner tank that is backed by a 5-year limited warranty.
- Water is heated to 160+ degrees with just the electric heating element alone.
- With the engine heat exchanger, water can be heated to 190+ degrees.
- The innovative thermostat-controlled mixing valve mixes ships water with the hot water to deliver the temperature you want at the faucet.
- This mixing action speeds recovery time and extends the volume of hot water you get from a smaller tank.

Max pressure: 7.0 Bar; Immersion heater: 115 V / 750 W

Order No	Mfg No	Capacity	Heat Ex- changer	Dimensions	List
397300	602421B000003	6.4 Gal.	No	19" x 16"	\$921.00
397301	604023BD000003	11 Gal.	Yes	25" x 16"	\$1,088.00
397302	607523BD00003	20 Gal.	Yes	41" x 16"	\$1,285.00

Scotsman⁻

Scotsman Gourmet Stainless Steel Ice Cube Maker

15" cabinet width, produces up to 30 lbs. of gourmet ice in 24 hours. Stores up to 26 lbs.

Uniquely-shaped, crystal-clear, slow-melting, taste-free, odorless ice - won't dilute the flavor of drinks.

Maintains ideal bin capacity with automatic shut-off and restart. Accepts custom wood panels to match you decor.

Available with built-in drain pump.

- · 1 years parts and labor on all components.
- 5 years parts on the compressor only

Order No	Mfg No	Features	List
103059	SCDCE33PA-1SSD	With Drain Pump	\$2,498.00
103052	DC33A-1SSD	Without Drain Pump	\$2,150.00



Scotsman Ice Machine Cleaner

- Scale remover for ice machines
- Concentrated scale remover and cleaner
- Nickel safe, food grade.
- Removes lime scale deposits from Scotsman ice machines.
- Approved for use with any Scotsman ice machine

Approved for doc with any cooleman loc machine.				
Order No	Mfg No	Size	List	
103051	W11179302	16 oz.	\$39.99	





Isotherm Marine Icemaker

- Spray-type ice maker that makes 40 pounds of crystal-clear ice per day.
- Designed to work in a mobile environment unlike other products of this type.
- Produces barrel-shaped clear ice that is a dense, slow-melting ice.
- The insulated bin holds 9 pounds of ice which is always a 'loose' ice, Because of this, the Clear Ice Maker requires a drain.
- Mounting flange is optional.
- Complete stainless steel body.
- 22 15/16" H x 13 15/16" W x 16" D
- Cabinet Materials: stainless steel, CFC-free foam insulation. Door: stainless steel
- Warranty: Two-years parts, 5-year limited warranty on compressor

Order No	Mfg No	Power Requirement	List
397054	5S21A14A00000	115V AC, 60 Hz	\$2,002.00
397055	5S21A12A00000	220/230/240V AC, 60 Hz.	\$2,002.00





Isotherm Marine On Board Safes

- On board safes help to ensure on board security.
- Extra thick (5 mm) galvanized, powder coated steel.
- Three independent locking systems (code number, mechanical, electronic key)
- Robust design
- · Mounting bracket kit.

Order No	Mfg No	Dimensions	List
397401	7F10000A00000	6" x 12" x 9":	\$348.00

Raritan Icerette Icemaker

- · Quick, simple installation, no drain required.
- · Removable ice bucket.
- · Positive catch door latch keeps door closed. This allows maximum ice production, while keeping harmful bacteria and molds out.
- Produces up to 21 lbs of ice every day using only 2-3/4 gallons of water. Stores up to 11 lbs of crescent ice (1/2" W x 3/4" H x 2-1/2" L).
- · Backed by Raritan's one-year Limited Warranty and legendary technical support team.

Height: flange 27-7/16"; cabinet 24-1/2"; Width: flange: 15-3/8"; cabinet 14"; Depth: flange: 16-1/2-1/2"; cabinet 14-1/2". 120 VAC.

Order No	Mfg No	List
338407	87B515-1	\$1,885.00

Raritan Ice Maker Parts

Order No	Mfg No	Mfg No Item		
338396	I34M-1	Icemaker Module Board	\$245.00	
338430	134W	Complete Ice Maker Assembly	\$290.00	



RARTAN













Cruise Classic 65

Isotherm Cruise Classic Marine AC/DC Refrigerator/Freezers

- High quality fridge solution
- Fan-cooled 12/24V Danfoss compressor
- Custom door panels to complement any interior)
- Freezer compartment (except Drink versions)
- One piece inner lining of food-quality, high density plastic with rounded corners for easy cleaning
- Constructed of corrosion resistant materials
- Interior light (not on CR 36, CR 42, CR 100)
- Innovative Isotherm door handle prevents door from being accidentally opened
- Magnetic rubber seals keep moisture out and door firmly closed

Order No	Mfg No	Size	Dimensions	Refrigerator Volume	Freezer Volume	List
397016	1065BA7CL0000	65	20.75" H x 17.91" W x 18.9" D*	2.3 cu. ft.	0.14 cu. ft.	\$1,034.00
397017	1085BA7CC0000C	85	24.41" H x 18.78" W x 19.88" D*	3 cu. ft.	0.14 cu. ft.	\$1,210.00

*All Isotherm Classic models are proud mount - dimensions are cut-out which exclude door width (1-5/8")

Order No	Mfg No	Size	Dimensions	Refrigerator Volume	Freezer Volume	List
397018	C130RBUAB71113AA	130	29.37" H x 20.75" W x 19.88" D*	4.6 cu. ft.	0.28 cu. ft.	\$1,452.00
397019	1195BB7CL0000	195	52.95" H x 21.65" W x 22.83"	4.6 cu. ft. + 2.3 cu. ft.	2.3 cu. ft.	\$2,725.00
397020	1200BB4ZL0000	200	34.69" H x 28.88" W x 24.25" D	5.3 cu. ft. + 1.76 cu. ft.	1.76 cu. ft.	\$2,506.00











Cruise Stainless Steel 195



Cruise Stainless Steel 200

<u>rotherm</u>

Cruise Stainless Steel 49

Cruise Stainless Steel 65

Cruise Stainless Steel 85 Cruise Stainless Steel 130

Isotherm Cruise Stainless Steel AC/DC Marine Refrigerator/Freezers

- Part numbers listed below are AC/DC, hinges on right. Contact BOW for left swing or DC-only part numbers.
- Power Requirements: 12V/24V DC and 115/230V AC 50 & 60 Hz
- Battery Draw: 2.7A @ 12V DC; 1.35A @ 24V DC
- Refrigerator Cabinet Materials: Galvanized steel cabinet, composite sides with injected closed-cell, CFC-free foam insulation. Door: Stainless steel door, handle, and flange
- Warranty: Two-years parts, 5-year limited warranty on compressor

Order No	Mfg No	Size	Color	Dimensions	Refrigerator Volume	Freezer Volume	List
397023	CO49RNEIT71113AA	49	S/S	20.7" H x 15.7" W x 19.7" D*	1.75 cu. ft.	0.14 cu. ft.	\$1,494.00
397034	C065RNEIT71113AA	65	S/S	20.8" H x 18.5" W x 20.5" D*	2.3 cu. ft.	0.14 cu. ft.	\$1,559.00
397035	C085NEIT71113AA	85	S/S	24.7" H x 19.5" W x 21.7" D*	3 cu. ft.	0.14 cu. ft.	\$1,533.00
397036	C130RNEIT71113AA	130	S/S	29.3" H x 21.4" W x 21.4" D*	4.6 cu. ft.	0.28 cu. ft.	\$1,914.00
397037	1195BB7MK0000	195	S/S	53" H x 21.5" W x 21.4"	4.6 cu. ft. + 2.3 cu. ft.	2.3 cu. ft.	\$3,186.00
397038	1200BB4YK0000	200	S/S	34.7" H x 28.9" W x 24.3" D	5.3 cu. ft. + 1.76 cu. ft.	1.76 cu. ft.	\$2,839.00

All Isotherm Stainless Steel are flush mount - dimensions are cut-out.

APPLIANCES

ISOTHERM REFRIGERATORS • FREEZERS • ICEMAKERS

ivotherm

CRUISE Elegance Marine AC/DC Refrigerator/Freezers

Available in four sizes starting with 49 up to 130 litres capacity. 4 volumes: 49, 65, 85, 130 litres
Ready for Isotherm Smart Energy Control
Innovative vent-lock system

Interior anchoring system does not require flange - flange is optional.

Customizable door panel and handle

Reliability: Secon / Danfoes DC compressors

Reliability: Secop / Danfoss DC compressors
Extra-thick insulation for low power consumption



Elegance 49





Elegance 85



Elegance 130

Ord	er No	Mfg No	Size	Color	Dimensions	Refrigerator Volume	Freezer Volume	List
397	7001	C049RSAAS71113AA	49	Silver	20.7" H x 15" W x 17.6" D	1.75 cu. ft.	0.14 cu. ft.	\$1,213.00
397	7005	C049RBBAB71113AA	49	Black	20.7" H x 15" W x 17.6" D	1.75 cu. ft.	0.14 cu. ft.	\$1,001.00
397	7002	C065RSAAS71113AA	65	Silver	20.9" H x 17.7" W x 19.4" D*	2.3 cu. ft.	0.14 cu. ft.	\$1,287.00
397	7003	C085RSAA71113AA	85	Silver	24.7" H x 18.7" W x 19.6" D	3 cu. ft.	0.14 cu. ft.	\$1,497.00
397	7004	C130RSAAS71113AA	130	Silver	29.6" H x 20.7" W x 19.4" D	4.6 cu. ft.	0.28 cu. ft.	\$1,621.00

<u>i/otherm</u>

Dimensions are for proud mount. Add 2" door thickness for flush mount dimensions.

CRUISE Classic AC/DC Marine Freezers

- Extra-thick body and door insulation for excellent deep freezing performance and low power consumption
- 12 / 24 V Danfoss / Secop compressor for long life and proven reliability. (AC / DC and DC-only models)
- · Door with extra insulation, positive latching handles, and magnetic rubber seals
- · Isotherm Freezers are excellent solution for side-by-side installations:
- Stainless Steel Flush mount flanges have built-in ventilation slots to aid in cabinetry ventilation.

(Note: ventialtion is key to operation of any refrigeration or freezer system and must be planned correctly in cabinetry)







Cruise Classic 63 Freezer Cruise Class

Cruise Classic 65 Freezer

Cruise Classic 90 Freezer

	Order No	Mfg No	Size	Dimensions	Volume	List
	397039	1063BC7JA0000	63	24.6" H x 18.7" W x 20.3" D	2.2 cu. ft.	\$1,308.00
١	397040	1065BC7BA0000	65	24.4" H x 21.4" W x 20.1" D	2.3 cu. ft.	\$1,308.00
	397041	1090BC76L0000	90	29.3" H x 20.7" W x 21.4" D	3.2 cu. ft.	\$1,308.00

ivotherm

CRUISE Stainless Steel AC/DC Marine Freezers

- Extra-thick body insulation for excellent deep freezing performance and low power consumption
- 12 / 24 V Danfoss / Secop compressor for long life and proven reliability. (AC / DC and DC-only models)
- Door with extra insulation, positive latching handles, and magnetic rubber seals
- Isotherm Freezers are excellent solution for side-by-side installations:
- Stainless Steel Flush mount flanges have built-in ventilation slots to aid in cabinetry ventilation.

(Note: ventialtion is key to operation of any refrigeration or freezer system and must be planned correctly in







Stainless Steel 65

Stainless Steel 90

 ,					
Order No	Mfg No	Size	Dimensions	Volume	List
397042	1063BC7NK0000	63	24.6" H x 19.5" W x 21.7" D	2.2 cu. ft.	\$1,582.00
397043	1065BC7NK0000	65	24.4" H x 21.4" W x 21.7" D	2.3 cu. ft.	\$1,510.00
397044	1090BC7NK0000	90	29.3" H x 21.4" W x 21.4" D	3.2 cu. ft.	\$1,751.00

ivotherm

Stainless Steel Marine AC/DC Refrigerators & Freezers

- Isotherm drawer models give boat builders and owners the flexibility of having fridges, freezers, or combo models in the most common cut-out sizes in the marine industry.
- Rugged drawer construction specifically designed for the marine environment
- Universal AC/DC works with common power supplies used world-wide including 12/24 volts DC and 115/230 volts AC.
- Matching footprint on DR55 Freezers and DR65 Refrigerators for stacked and side by side installations.
- Isotherm positive latching handles keep doors shut, even in the roughest conditions.
- · Award winning frost-free models prevent frost accumulation resulting in reduced energy consumption.







Drawer 65 Glass

Award withining most-free models prevent most accumulation resulting in reduced energy consumption.								
Order No	Mfg No	Size	Drawer Description	Dimensions	Volume	List		
397045	3049BA7C00000	49	Refrigerator/Freezer	20.9" H x 15.9" W x 20.5" D	1.75 cu. ft.	\$1,903.00		
397046	3055BH4C0000	55	Frost Free Freezer	20.9" H x 15.9" W x 20.5" D	1.95 cu. ft.	\$2,186.00		
397047	3065BA7C0000	65	Refrigerator/Freezer	20.9" H x 18.5" W x 21" D	2.3 cu. ft.	\$1,944.00		
397048	3065BG7C0000	65	Frost Free Refrigerator	20.9" H x 18.5" W x 21" D	2.3 cu. ft.	\$2,087.00		
397049	3160BB6C0000	160	Frost Free Refrigerator/Freezer/Icemaker	34" H x 24.6" W x 23" D	2.3 cu. ft. + 3.2 cu. ft.	\$4,691.00		
397050	3160BA7C00017	160	Refrigerator/Refrigerator	34" H x 24.6" W x 23" D	2.3 cu. ft. + 3.2 cu. ft.	\$2,868.00		
297051	3160BC3C00017	160	Freezer/Freezer	34" H x 24.6" W x 23" D	2.3 cu. ft. + 3.2 cu. ft.	\$3,245.00		
397052	3160BB3C00017	160	Refrigerator/Freezer	34" H x 24.6" W x 23" D	2.3 cu. ft. + 3.2 cu. ft.	\$3,300.00		
397053	3190BA7C00000	190	Refrigerator/Refrigerator	31.2" H x 35.4" W x 22" H	5.7 cu. ft.	\$2,781.00		