

## Electronics/Navigation

### PA SPEAKERS • POLYPLANAR SPEAKERS • BOX SPEAKERS



#### Speco 5" Weatherproof PA Speaker w/Plastic Base


- Weatherproof.
- White ABS plastic.
- Frequency response of 300 to 15 kHz
- 15 watt maximum power rating.
- Complete with 10 ft. cord and 3.5mm plug.

Dimensions: 5" (Dia) x 5" (L)  
Frequency Response: 300-15,000 Hz.  
Impedance: 8 Ohm


Order No	Mfg No	List
288922	SPC-5P	\$21.75



MA6500



MA6900



#### Platinum Speakers

- High power, Multi-component, round speakers.
- Clean, low profile, flush mount.
- Full range of audio performance.
- White. Sold in pairs.

Order No	Mfg No	Cone Size	Dimensions	Depth	RMS Power	Max. Peak Power	List
300313	MA6500WHITE	5-1/4"	5 1/4" Diam.	2-1/2"	80	160	\$209.95
300314	MA6600WHITE	6-1/2"	6.5" Diam.	3"	100	200	\$249.95
320074	MA6800WHITE	8"	8" Diam.	3-1/2"	100	200	\$299.95
300307	MA6900WHITE	8.46"	6" x 9"	2-1/2"	80	160	\$299.95



#### 4" X 6" Weatherproof PA Speaker

- Weatherproof.
- Frequency response of 200 to 15,000 Hz with a 15 watt nom/30 watt maximum power rating.
- 10 dB sensitivity and an 8 ohm impedance.

Dimensions: 4" (H) x 6" (W)  
Impedance: 8 Ohm  
Material: White ABS Plastic  
Max Power: 30 Watts  
RMS Power: 15 Watts  
Sensitivity @ 1W/1M: 10 dB

Order No	Mfg No	List
288918	SPC-15RP	\$41.75



#### Speco 6 1/2" x 11" Weatherproof PA Speaker

- Weatherproof.
- Frequency response of 200 to 15 kHz and a 40 watt maximum power rating.
- Sensitivity of 120 dB with an impedance of 8 ohm.
- White base that pivots 90 degrees.

Dimensions: 6 1/2" (W) x 11" (H) x 9" (L)  
Freq. Response: 200-15,000 Hz  
Impedance: 8 Ohm  
Max Power: 40 Watts  
Sensitivity @ 1W/1M: 120 dB


Order No	Mfg No	List
288900	SPC-40RP	\$52.25



#### Polyplanar Surface Mount VHF Extension Speakers

- Waterproof.
- Allows a VHF radio to be heard from a remote location.
- Surface mounted. Stainless steel grill and bracket. 8 ohms impedance. White.

Order No	Mfg No	Cone Size	Dimensions	List
300308	MB21WHITE	2-1/2"	2.5" x 2.5" x 1.25"	\$24.95
300310	MB41WHITE	4"	4.5" x 4.5" x 2"	\$39.95



#### Rectangular Speakers

- Flush mounted, ultraviolet resistant grills
- Stainless steel mounting hardware.
- 280 Watts RMS power rating. Sold in pairs.

Order No	Mfg No	Dimensions	List
300318	MA5500WHITE	6 1/4" x 10"	\$289.95



#### Infinity INF-6912 6" X 9" Oval Speakers

- 300 watts handling power
- Frequency response: 36-20,000 Hz
- Sensitivity: 96dB
- Polypropylene woofer cone
- Rubber surrounds
- Integrated grille assembly
- UV- and water-resistant construction
- Mounting depth: 3-1/16"
- Installation size: 5-9/16" x 8-9/16"
- Sold in pairs.

Order No	Mfg No	List
351254	INF-6952M	\$215.95



#### Polyplanar Component Speakers

##### Box Type

- 3" Speaker with separate Tweeter
- Bracket mount for interior or outdoor applications.
- Mount in horizontal or vertical orientation with the supplied bracket.
- Dimensions: 6.46" high x 3.86" wide x 4.13" deep.

##### Flush Mount Type

- 3" Flush mount speaker
- Designed to be used alone or in conjunction with the MS series Subwoofer systems.
- Ideal for mounting in flybridge overhangs, smaller cabins or wherever space is at a premium.

Order No	Mfg No	Type	Color	List
310545	MA-3013W	Flush	White	\$53.95



Over 350 brand name manufacturers  
Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.

Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: johnc@dshullco.com

Call Pamela Hutchisson at 954-463-4307 ext. 322

Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)

## Electronics/Navigation

### POLYPLANAR AND JBL SPEAKERS



#### Compact 5-1/2" Box Speakers

- Two way speaker system.
  - Vented port design for full range sound.
  - Stainless steel grills.
  - Includes non-corroding 360° mounting bracket.
  - Frequency response: 60 Hz to 22 KHz
  - Impedance: 4 Ohms
  - Color: White
- Dimensions: 5" x 7-1/2" x 5"

Order No	Mfg No	List
300338	MA800WHITE	\$164.95



#### Self-Contained Box Speakers

- Full size box speakers
  - Two-way vented port design offers full range response.
  - Low magnetic field design lets you mount anywhere. Polycarbonate gimbal mounting brackets included.
  - 5-1/4" polypropylene main cones provide maximum power of 100 watts per speaker.
- Impedance: 4 ohms.  
Dimensions: 6" x 9" x 6".  
White. Sold in pairs.

Order No	Mfg No	List
300329	MA9060WHITE	\$274.95



#### Platinum Panel Speakers

- Two 3.5" woofers plus a 1" tweeter.
- Handles 140 watts of power per speaker. 280 watts per pair.
- 4 ohm impedance.
- Stainless steel grill.
- Poly-propylene cones with TPU edge (weatherproof/corrosion proof).
- U.V. Stabilized for protection against damage from sunlight.
- Requires 1" mounting depth.
- Sold in pairs.


Order No	Mfg No	List
300315	MA905WHITE	\$179.95



#### Titanium Series 3-Way Marine Speakers

- Color fast plastic frame withstands UV.
- Anti-magnetic design.
- Waterproof construction throughout.
- 150 watts peak power per speaker. 4 Ohm impedance.
- 3 way design with Mylar tweeter and midrange.
- Powder coated aluminum grill.
- Sold in pairs.

Order No	Mfg No	Cone Size	List
320095	MA8506W	6"	\$189.95



#### JBL Marine 5 Channel Amplifier

RMS Power @ 4 ohms: 45W x 4  
RMS Power @ 2 ohms: 65W x 4  
RMS bridged power: @ 4 ohms 130W x 2  
Total RMS power: 750W  
Total peak power: 1800W  
Frequency response: 10Hz-40kHz (full range) 10Hz-320Hz (sub)  
Maximum signal input: 20V  
Maximum sensitivity: 200mV  
Line in signal-to-noise ratio (reference to 1 watt): Full: >85dB  
Sub: >80dB  
Product Dimensions (H x W x D) mm: 400 x 189.4 x 59mm  
Operating voltage: 9-16VDC

Order No	Mfg No	Outputs	List
351120	JBLMA4505	5	\$399.95



#### JBL Marine Weather Resistant Marine Amplifiers

- New weather-resistant & high-performance marine amplifier delivers impressive power from a compact chassis designed to withstand outdoor environments.
- 4-channels.
- Incorporates the latest amplifier topology that includes selectable all-, high-, or low-pass crossovers with variable electronic frequency adjustment for precision system tuning.
- Engineered for harsh marine conditions, with power and performance to meet the needs of any outdoor audio system.

Max Power 1000W Peak  
Total RMS Power: 400W  
Total Peak Power: 1000W  
Frequency Response: 10Hz-40kHz  
Maximum Signal Input: 20V  
Maximum Sensitivity: 200mV  
Operating voltage: 9-16VDC  
Product Dimensions: 358 x 185.5 x 55.75mm (H x W x D)

Order No	Mfg No	Outputs	List
351112	JBLMA704	4	\$299.95



#### JBL MS-6510 6-1/2" Dual-Cone Marine Speakers

- Power handling : RMS, 50 Watts, Peak 150 Watts
- Sensitivity: 90dB
- Frequency response: 50Hz-18kHz
- Polypropylene woofer cone
- Rubber surround
- Integrated grille assembly
- UV- and water-resistant construction. Sold in pairs.

Order No	Mfg No	List
351118	MS6510	\$99.95



#### JBL MS6520 Coaxial Marine Speaker

- Power handling: RMS: 60 watts, Peak: 180 watts
  - Sensitivity: 90dB
  - Frequency response: 50Hz-20kHz
  - Polypropylene woofer cone
  - Polypropylene dome tweeter
  - Integrated grille assembly
  - UV- and water-resistant construction.
- Sold in pairs.

Order No	Mfg No	List
351101	MS-6520	\$149.99



#### Milenia Coaxial MA1905 5 Channel Class D Amplifier

Five Channel Class D  
4x80W RMS at 4ohms + 1x165W RMS at 4 ohms  
Peak: 4x160W at 4 ohms + 1x300W at 4 ohms  
Built in crossover  
Bass Boost  
Hi pass Boost  
Dedicated subwoofer channel, 1 ohm stable

Order No	Mfg No	List
351128	MIL-AMP1905	\$299.95



#### Milennia AM/FM/Multimedia All-Environment Stereo Receiver

- AM/FM
- Bluetooth Audio Streaming
- 40w x 4
- AM/FM
- Aux-input
- USB input
- All weather face plate
- UV stable
- Fits standard tachometer opening
- Charging through USB

Order No	Mfg No	List
351677	MIL-PRV19	\$149.99



#### Milennia MIL-LEDPWR LED Power Module

LED Power module and controller for use with INFMBB500 and INFPRV515

Order No	Mfg No	List
351192	MIL-LEDPWR	\$199.95



954-463-4307 • D.S. HULL COMPANY, INC. • www.dshullco.com



## Electronics/Navigation

### JENSEN SPEAKERS & AMPS



M A R I N E

#### Jensen 6 1/2" Coaxial 60W White Waterproof Marine Speakers

- Waterproof
  - UV Resistant
  - 60 watts peak power handling each speaker
  - Frequency Response: 65Hz-20kHz
  - 4 Ohms
  - Polypropylene woofer: 6 1/2"
  - Magnet: 9.8 oz.
  - Cutout hole diameter: 5"
  - Mounting depth: 2 1/3"
  - Overall grill diameter: 7 1/8"
  - 1 year manufacturer warranty
- Sold in pairs.



Order No	Mfg No	List
395991	MS6007WR	\$79.99



M A R I N E

#### Jensen MSX65R 6.5" Waterproof Coaxial Speakers

- Maximum power: 75 watts
- 65Hz - 20kHz usable frequency response
- Rubber suspension and surround
- Voice coil size: 1"
- Magnet weight: 11 oz
- 4 ohms impedance
- Snap style grille
- Flush mount
- 2.3" mounting depth
- Includes 2 speakers and 4 grille options (2 white & 2 silver)



Order No	Mfg No	List
396318	MSX65R	\$119.99



M A R I N E

#### Jensen 6-1/2" Coaxial 75W Chrome Grill Speaker

- Max power input: 75 watts
  - Frequency response: 65Hz - 20KHz
  - Magnet weight: 11 oz.
  - High polished chrome grille
  - Water and corrosion resistant sealed design
  - All plastic chassis construction
  - UV resistant (ASTM-D4329 compliant)
- Hole size: 5". Mounting depth: 2.3". Sold in pairs.



Order No	Mfg No	List
396003	MSX60CPR	\$99.99



M A R I N E

#### Jensen 6 1/2" Coaxial 75W Gray Grill Speaker

- Max power input: 75 watts
  - Frequency response: 65Hz - 20KHz
  - Bridged/suspended tweeter
  - Polypropylene cone
  - Rubber suspension/surround
  - Magnet weight: 11 oz.
  - High polished chrome grille
  - Water and corrosion resistant sealed design
  - All plastic chassis construction
  - UV resistant (ASTM-D4329 compliant)
- Hole size: 5". Mounting depth: 2.3". Sold in pairs.



Order No	Mfg No	List
396014	MSX60RVR	\$99.99



M A R I N E

#### Jensen 400 Watt 2 Channel Amplifier

- 2-channel amplifier offers multiple mounting options due to its small footprint.
- MOSFET power supply
- 2 x 100W @ 2 ohms
- 2 x 75W @ 4 ohms
- 1 x 200W @ 4 ohms bridged
- High pass filter (40Hz - 300Hz @ 12dB/octave)
- Low pass filter (40Hz - 300Hz @ 12dB/octave)
- Variable bass EQ (0 - 12dB @ 45Hz)
- Full range operation
- Pass-thru RCAs
- LED status indicator
- Thermal overload protection



Order No	Mfg No	List
396047	POWER4002	\$119.99



M A R I N E

#### Jensen 760 Watt 4 Channel Amplifier

- 760 watts of peak power
- Designed to meet CEA-2006 test standards
- 4-channel amplifier
- Low pass filters
- High pass filters
- Full range option
- Variable bass EQ
- Pass-thru RCA's
- Channel mode selector switch
- Thermal protection
- Protection circuit that safeguards against short circuits, DC-offset and thermal overload



Order No	Mfg No	List
396058	POWER760	\$149.99



M A R I N E

#### Jensen Stereo Package Includes 6.5" Speakers

- Includes MS30BTR and AM602W - CPM150
- 6.5" coaxial two-way speakers
- Jensen AM/FM/USB Compact Bluetooth Stereo
- This self-contained 3.5" round waterproof stereo features 160 watts, Bluetooth streaming audio along with an auxiliary input and a line out (RCA).
- This economical stereo fits a 3" gauge hole and has UV resistant finish and corrosion resistant materials to guarantee it withstands life in a rough aquatic environment.
- Maximum power output: 160 watts
- Bluetooth (A2DP/AVRCP)
- Waterproof (IPX6) AM/FM tuner rear USB input for MP3 enabled devices
- Rear AUX input (RCA)
- Daylight readable segmented LED display.
- ASTM D4329 UV resistant finishes/materials ASTM B117 Corrosion resistant materials



Order No	Mfg No	List
396284	CPM150	\$229.99



M A R I N E

#### Jensen SiriusXM Tuner Enables Sirius XM Satellite Radio on any SiriusXM-Ready Stereo

- Connects to and controls SiriusXM through vessel's audio system
  - No need for any translators or cable adapters
  - Compact size allows for discrete behind the dash mounting for a complete integrated look
  - Able to pause, rewind and replay up to 30 minutes of live XM Satellite Radio
  - Easy and quick installation
  - Dimensions: 3-1/2 W x 3/4 D x 2 H
- 1-Year MSW Warranty



Order No	Mfg No	List
395957	SXV300V1M	\$89.99



M A R I N E

#### Jensen Marine RCA Y-Cables

Order No	Mfg No	Type	List
396250	MAYCAYMFFR	1 Male/ 2 Female	\$11.99



M A R I N E

#### Jensen Marine Audio 3.5mm Marine Mini-Pin/USB Combo Port

The MAAUXUSB 3.5mm Marine Mini-Pin and USB Combo Port enables the connection of portable audio devices to a source unit through a 3.5mm stereo mini-plug or USB in jack. The cable is available in 24" in length and will enhance any audio system.

Order No	Mfg No	List
396193	MAAUXUSB	\$39.99



M A R I N E

#### Jensen Marine Marine-Grade 3.5 mm Auxiliary Input Jack

- 24" long.
- Female RCA connection
- Interconnect with standard RCA cables and plugs into an auxiliary input source.
- Twisted pair.



Order No	Mfg No	List
396182	MAAUXFR	\$29.99



M A R I N E

#### Jensen Marine Audio RCA Cables

The MARCAC1 cable is ideal for connecting a source unit to an amplifier.



Order No	Mfg No	Length	List
396205	MARCAC1R	1 meter	\$11.99
396216	MARCAC2R	2 meter	\$14.99
396227	MARCAC4R	4 meter	\$19.99
396238	MARCAC6R	6 meter	\$24.99

## Electronics/Navigation

### INFINITY SPEAKERS • INFINITY BLUETOOTH CONTROLLER • INFINITY STEREOS



#### Infinity 622MLW White 6.5" Coaxial 225 Watt Waterproof Marine Speakers with RGB LED Accent Lighting

Waterproof  
UV resistant materials  
Peak power handling: 225 watts each speaker.  
LED accent lighting - use with light controller to set up a light show.  
Polypropylene woofer cone.  
Rubber surrounds.  
RMS handling 75 watts per speaker.  
Frequency response: 50Hz - 20kHz  
Cutout diameter: 5.0"  
Mounting depth: 2.65"  
Sold in pairs

Order No	Mfg No	List
351168	INF622MLW	\$199.95



#### Infinity 622MLW White 8" Coaxial 450 Watt Waterproof Marine Speakers with RGB LED Accent Lighting

Waterproof  
UV resistant materials  
Peak power handling: 450 watts each speaker.  
LED accent lighting - use with light controller to set up a light show.  
Balanced domed tweeters; weather resistant, delivers smooth high-frequency response and increased handling for highs and mids, which equates to more lifelike sound from vocals, cymbals, brass instruments and pianos.  
Polypropylene woofer cone.  
Rubber surrounds.  
RMS handling 150 watts per speaker.  
Frequency response: 50Hz - 20kHz  
Cutout diameter: 6.8"  
Mounting depth: 3.4"  
Sold in pairs.

Order No	Mfg No	List
351176	INF822MLW	\$239.95



#### Infinity 1022MLW White 10" Marine Subwoofer with RGB LED Accent Lighting

Waterproof  
UV resistant materials  
Peak power handling: 750 watts each speaker.  
LED accent lighting - use with light controller to set up a light show.  
Balanced domed tweeters; weather resistant, delivers smooth high-frequency response and increased handling for highs and mids, which equates to more lifelike sound from vocals, cymbals, brass instruments and pianos.  
Polypropylene woofer cone.  
Rubber surrounds.  
RMS handling 250 watts per speaker.  
Frequency response: 25Hz - 500kHz  
Cutout diameter: 10.6"  
Mounting depth: 4.4"  
Sold individually.

Order No	Mfg No	List
351184	INF1022MLW	\$199.95



#### Infinity INFBC4 Standalone Preamp Bluetooth Controller

Ideal for ATV, UTV, golf cart and marine use.  
RCA output to hook into amp.  
IPX6-rated waterproof.  
Requires 12V power source.  
Requires 1-3/8" diameter hole.  
Flush mount.

Order No	Mfg No	List
351160	INFBC4	\$149.95



#### Infinity PRV90 All in One Gauge Receiver

Features:  
AM/FM Receiver  
Bluetooth Audio Streaming  
Aux Input  
4 x 40 Watts  
USB Input with phone charging.  
2.5" depth; 4.125" O.D.; 3.25" round cutout.  
USB Input/Phone charging.  
1 year warranty.

Order No	Mfg No	List
351136	INFPRV90	\$159.95



#### Infinity PRV250 Stereo

- Bluetooth Audio Streaming
- 4 x 50 watts
- Solid aluminum chassis
- Aux-in
- Portable-media ready
- USB input
- ASTM117 salt fog
- 1 pair of RCA outputs
- IP66 waterproof face
- 6" (L) x 4" (W) x 2 1/2" (D)

Order No	Mfg No	List
351561	INF-PRV250	\$239.99



#### Infinity PRV315.2 AM/FM Bluetooth Audio Streaming Unit

4 x 50 watts.  
Auxiliary input.  
3-1/2" cutout; 4-1/8" O.D.  
USB Input for USB Drives  
3 Pairs of RCA Pre-outs.  
Charging through USB  
Wired/Wireless Remote - Ready  
Compatible with: SEAMINI2, SEASUBMINI, MIL-MA100, MIL-REM50, MILREM70, JBLMC20, MILRF9-UART

Order No	Mfg No	List
351144	INFPRV315.2	\$399.95



#### Infinity KAPPRV515 Marine Digital Media Receiver with Built-in Bluetooth & NMEZ 2000 Connectivity

- AM/FM/WB/RBDS
- SiriusXM-Ready (SiriusXM connect tuner and subscription required)
- Bluetooth Audio streaming with ID tagging
- 3.5" color TFT screen / Waterproof faceplate
- 50W X 4 amplifier
- Wired Remote Ready
- U.S. European and Japan tuning
- Charging through USB
- 4 pair of RCA output including subwoofer output
- Can Bus Control via NEMA2000
- Video Input
- Multi-zone Control (Zone 1, Zone 2, Zone 3, Zone 4)
- RGB Seaker Control (MIL-LEDPWR required)


Order No	Mfg No	List
351152	KAPPRV515	\$599.95



#### Fusion SX-F65CWB 200W 6.5" Stereo Speakers

Features quality audio reproduction and enhanced marine aesthetics at a mid-range price point.  
Optimized for use in the marine environment at all volume levels.  
IP65 weatherproof rating, True-Marine accreditation and an industry-leading 3-year warranty.

Order No	Mfg No	List
357073	XS-F65CWB	\$189.99



#### Fusion EI Series 6.5" 80 Watt Full Range Shallow Mount Marine Speakers EL-F651W

Engineered for quality radio reproduction in the marine environment, the redesigned EL Series feature a shallow basket design to provide versatility in mounting options (depth required 1-11/15").  
Speakers will ensure these speakers will fit in thinner wall cavities.  
IP65 weatherproof rating, these speakers are protected from sun, salt, water and dust damage.

Order No	Mfg No	List
357079	EL-F651W	\$129.99



954-463-4307 • D.S. HULL COMPANY, INC. • www.dshullco.com



## Electronics/Navigation

### FUSION SPEAKERS & AMPLIFIERS

**FUSION**



#### Fusion 4" Marine 2-Way Speakers

- These speakers produce great sound, but also ensure a sustained high performance level during prolonged exposure to the marine elements.
- German 'CURV' cone technology and titanium tweeters for clear, powerful sound in the harsh marine environment.
- 4" 2-Way Speakers, 120 Watts Max Power.
- Designed to withstand the harsh marine environment and comply with International ASTM Standards for UV Stability (ASTM-D4329) and Salt/Fog Resistance (ASTM-B117).
- True Waterproof Design, complies with IP65 waterproof and dust standards and features a fully sealed cross-over, magnet and tweeter housing with waterproof cone and surrounds.
- High efficiency design reduces battery drain.

Order No	Mfg No	List
357183	MS-FR4021	\$99.99

**FUSION**



#### Fusion 6" 200 Watt Marine 2-Way Speakers

The 6" Marine Speakers come complete with three grille options (cloth, standard and sport) as well as three gel badge options.

- Complies with ASTM Standards for UV Stability and Salt/Fog Resistance.
- Complies with IP65 Waterproof and Dust Standards.
- Sold complete with three grille options in each box.

Order No	Mfg No	List
357080	010-01848-00	\$159.99

**FUSION**



#### Fusion 7" Marine 2-Way Speakers

Designed and engineered from the ground up to incorporate state of the art audio innovation never seen before in marine speakers.

- Complies with ASTM Standards for UV Stability and Salt/Fog Resistance
- Complies with IP65 Waterproof and Dust Standards
- Sold complete with three grille options in each box (white, black, silver).

Order No	Mfg No	List
357091	010-01849-00	\$199.99

**FUSION**



#### Fusion MS-EL602 6" 160W Shallow-Mount 2-Way Speakers

Engineered with flush profile tweeters and a compact basket assembly.

Mounting depth of only 1-5/8" for simple and versatile installation.

Water resistant design ensures the speakers are able to withstand exposure to the marine environment.

Peak power output of 150 Watts.

Complete with tinned speaker wire, mounting gaskets and stainless steel mounting screws.

1 Year Limited Consumer Warranty.

Order No	Mfg No	List
357194	MS-EL602	\$79.99

**FUSION**



#### Fusion 6.5" Speakers

6.5" 2-Way, 200 watts max

High quality poly carbon cone and water resistant construction. Designed for optimal sound reproduction across the full audible spectrum.

- Max Power: 200 Watts.
- Complies with ASTM Standards for CURV Cone Technology, Usually found in Hi End home audio speakers is incorporated in these speakers for clear, powerful sound.
- UV Stability (ASTM-D4329) and Salt/Fog Resistance (ASTM-B117)

Order No	Mfg No	List
357207	MS-FR6520	\$99.99

**FUSION**



#### 4" Marine Box Speakers

Designed and manufactured specifically for marine/outdoor use.

Featuring an adjustable mounting bracket with all mounting hardware supplied.

Solid construction and powerful sound.

Dimensions without bracket" 5-3/8" H x 7-7/8" W x 5-7/16" D

Order No	Mfg No	List
357218	MS-OS420	\$119.99

**FUSION**



#### Fusion True-Marine™ 6.5" White Coaxial Speakers with LEDs

- Designed to offer unparalleled performance even when exposed to the harshest marine conditions.
- Combining 'CURV' Cone composite technology with a Silk Dome tweeter and fully sealed crossover components, the Sports Ice White Signature Speaker system is an aggressively styled solution for premium on-water listening.
- Featuring Dual-Color diffused LED Lighting that illuminate Striking Blue or Sparkling White, to set the mood at the start the party.
- Sports Styled Grille – A structurally ridged True-Marine™ design for the ultimate cone protection, that delivers great looks to complement any vessel. Engineered for internal or external installation.
- Silk Dome Tweeter - Creating a smooth upper frequency response and increased efficiency, which delivers crisp sound for unrivalled enjoyment.
- Dual-Color diffused LED Lighting option\* - Select either a Striking Blue or Sparkling White LED illumination for your speaker cone to add instant appeal that will energize your boating experience.

\*Color determined on wiring polarity at installation.

Order No	Mfg No	Watts	List/Pair
357332	010-01428-00	230	\$399.99

**FUSION**



#### Fusion 10" Subwoofer

Designed to produce unparalleled bass in the marine environment.

To operate your subwoofer correctly you must also install an amplifier.

Power Handling: 400 Watts (Max)

Frequency Response: 30Hz - 2kHz

Efficiency (1W/1M): 88dB

Order No	Mfg No	List
357093	MS-SW10	\$149.99

**FUSION**



#### Fusion 10" White Marine 450 Watt Subwoofer with LEDs

10" high tensile Fiberglass-paper composite cone driver, that produces a massive 450-Watts Max output.

Featuring Dual-Color diffused LED Lighting options that illuminate Striking Blue or Sparkling White to set the mood or start the party.

450-Watts Max power.

Fiberglass-Paper Composite Cone – Provides excellent self-damping, resolution and bass reproduction, for defined low frequency acoustics.

Large Diameter Voice Coil - Producing an increase in real power and efficiency, the voice coil provides a signature sound and wave rippling bass.

Order No	Mfg No	List
357354	010-01428-22	\$349.99

**FUSION**



#### Fusion 4 Channel Amplifiers

Add more power to your marine speakers by connecting a FUSION Marine Amplifier to your audio system, or install with a subwoofer to increase the bass level of your music.

Marine Amplifiers feature anti-corrosion treated PCB's and stainless steel end panels for maximum corrosion protection.

Generally, a 2 Channel Marine Amplifier is used to power a Marine Subwoofer, increasing the level of your audio system; a 4 Channel Marine Amplifier can be used to power two pairs of Marine Speakers and a Marine Subwoofer.

Order No	Mfg No	Watts	Only
357059	010-01500-00	500 Watts 4 Channel	\$339.99

**FUSION**



#### Fusion Signature Series 5 Channel Marine Amplifier

- The stainless steel unit will resist corrosion and the 1600 Watt output (peak) will power 4 speakers and 1 subwoofer.
- Stainless steel mirror install panel offers practical confinement of all cable connections and tuning controls while delivering good looks that complement any installation.
- Key benefit of a Class-D amplifier is low battery drain with a high output making it perfect for the marine environment.
- Features conformal coated PCB for maximum product life and performance plus the amplifier chassis acts as a heat sink; reducing component core temperature and increasing efficiency.
- RCA line-level inputs are included for easy connection to new or existing systems.
- 3 year limited consumer warranty.

Order No	Mfg No	Watts	List
357387	010-01968-00	1600 (peak)	\$649.99

## Electronics/Navigation

### FUSION STEREOS



#### Fusion MS-RA55 Compact Marine Stereo with Bluetooth Audio Streaming

Delivers clear and dynamic sound reproduction in a maritized, space-saving chassis. With Bluetooth audio streaming, users can stream music from any compatible device to the MS-RA55, allowing boaters to enjoy their favourite streaming service apps. Featuring a sleek front face finish with a shallow-mount case design, the new low-profile MS-RA55 design allows for easy installation on small boats, tenders and personal watercraft, adding the highest quality sound to vessels that previously lacked the space for a full-feature stereo system.

##### Features:

Two independent audio zones are available, each with localized menu controls.

Order No	Mfg No	List
357398	010-01716-00	\$199.99



#### IPX7 NMEA 2000

##### Wired Remote Control

- NMEA 2000 certified for connection to any NMEA 2000 network making for a quick and easy installation. Once connected the wired remote will double as a repeater.
- Compatible with the following Fusion products: MS-UD750, MS-AV750, MS-UD650, MS-RA70N, MS-BB100, MS-RA205, MS-BB300, MS-IP700i, MS-AV700i.
- Can be configured to display supported NMEA2000 network data from compatible marine electronics connected to the same network. The following information is available: wind direction, wind speed, depth, speed over ground, speed through water, heading, position, water temperature, atmospheric pressure, and ETA.

Order No	Mfg No	List
357376	010-01628-00	\$239.99



#### Fusion Marine Entertainment System with Bluetooth & NMEA 2000

Designed to replace any standard DIN sized non-maritized stereo without the need to reconfigure dash space. Clever styling gives the installer the option of either mounting the stereo with a conventional flush finish or integrating it flat into a glass helm, ensuring a high-end finish to the installation.

A2DP Bluetooth wireless technology with Fusion-Link app remote control.

Multiple source listening; AM/FM radio, USB MP3 audio, IPX7 water resistant front face with optically bonded LCD. Flat or flush mounting installation options.

Multi-zone mounting installation options.

Fusion-Link NMEA 2000 ready for connection and control from any supported Multi-Function Display.

12 month worldwide consumer warranty.

Order No	Mfg No	List
357424	MS-RA70NSX	\$329.99



#### Fusion UD650 Marine Entertainment System with Internal Uni-Dock

Features an internal, water resistant UNI-Dock for safe charging and playback of the latest Apple iOS and MTP Android/Windows media devices.

Bluetooth A2DP audio streaming capabilities and FUSION-Link NMEA connectivity make the 650 series an all-in-one and purpose-built solution for entertaining at sea.

Sources: AM/FM/Bluetooth/USB x 2/iPod/iPhone/MTP/Sirius XM Ready (USA only - requires optional SiriusXM vehicle connect tuner).

Features: Internal UNI-Dock, FUSION-Link Control (Wired), A2DP/AVRCP Bluetooth Streaming, Apple iOS and MTP Android/Windows Media Playback, Dual USB, Multi-Zone Technology, Optically Bonded LCD, Class-D Amplifier, Side-fin Cooling, Glass Filled Composite Chassis, True-Marine Designed and Engineered.

Order No	Mfg No	List
357032	010-01357-00	\$499.99



#### Fusion UD755 Marine Entertainment System with Internal Uni-Dock

Featuring an internal UNI-Dock for charging, environmental protection and playback of the latest compatible Apple iOS, MTP Windows/Android and USB media devices, including Bluetooth A2DP/AVRCP audio streaming capabilities, support for advanced FUSION-Link™ NMEA 2000/Ethernet/Wi-Fi/Bluetooth connectivity, the FUSION 750 Marine Entertainment System is the next generation in the FUSION dynasty.

Sources: AM / FM / Bluetooth / USB x 2 / AUX x 2 / iPod / iPhone / MTP / SiriusXM Ready (USA Only – requires optional SiriusXM connect vehicle tuner)

Features: Internal UNI-Dock – Securely protect and charge and compatible Apple iOS or MTP Android/Windows device, while enjoying your favourite soundtrack.

FUSION-Link® Control (Wired), A2DP/AVRCP Bluetooth® Streaming, Apple® iOS® and MTP Android™/Windows® Media Playback, Multi-Zone™ Technology, Optically Bonded LCD, Dual-USB, Side-Fin Cooling, Glass Filled Composite Chassis, Class-D Amplifier, True-Marine™ Designed and Engineered – Extensively tested to perform in the harsh marine environment.

Order No	Mfg No	List
357049	010-01361-00	\$629.99



#### Fusion Accessories

Order No	Mfg No	Description	List
357365	MS-CBUSB-FM1	Panel Mount USB Connector for Fusion 650, 700i, 750 & RZ250	\$29.99



#### Fusion Apollo Marine Entertainment System with Built-In Wi-Fi MS-RA770

The world's first touchscreen marine stereo with Apple AirPlay and built-in Wi-Fi.

Redefines audio excellence with revolutionary technology.

Innovative design includes Digital Signal Processing, PartyBus, over-the-air software updates, a one-piece glass display and more source options than ever before.

Other features include: Instant Replay, TuneStart, TuneMix, SportsFlash, Artist, Song and Game Alerts.

Order No	Mfg No	List
357055	010-01905-00	\$699.99



#### Fusion Apollo Marine Zone Stereo with Built-In Wi-Fi MS-SRX400

Combines the latest design, engineering and powerful feature set of the Apollo Series in a compact, versatile form factor. With Apple AirPlay, built-in Wi-Fi streaming, Fusion's Digital Signal Processing, PartyBus connectivity and over-the-air software updates, the Apollo SRX400 is the perfect combination of intelligent design and superior sound in a compact zone stereo. The future of marine audio entertainment has arrived with the Apollo Series.

##### Features:

Industry-First Marine Stereo With Apple AirPlay

Wi-Fi Audio Streaming

Digital Signal Processing

PartyBus

Over-The-Air Software Updates

Compact Design

True-Marine™ Designed and Engineered

Fusion-Link™

Order No	Mfg No	List
357061	010-01983-00	\$369.99



#### Fusion Marine Black Box with Bluetooth Wired Remote & NMEA 2000 MS-BB100

a compact black box entertainment solution that incorporates the marine industry supported Fusion-Link protocol and Fusion's proven marine engineering skillset to deliver a boat load of tunes. An industry first, the BB100 includes an easy touch Bluetooth embedded IPX7 water resistant remote for quick audio adjustments. Supplied with a 2m (6.6ft) connection cable, the wired remote is ideally shaped for hassle free installation onto a dash or boat console. With the Bluetooth receiver embedded into the remote we can reduce the likelihood of interference occurring between your smartphone and the receiver. Engineered for either a flush or flat mount installation, you can choose the finish to suit your vessel.

Order No	Mfg No	List
357067	010-01517-00	\$319.99



954-463-4307 • D.S. HULL COMPANY, INC. • www.dshullco.com



## Electronics/Navigation

FUSION STEREO • WHITECAP ANTENNA MOUNTS • SHAKESPEAR ANTENNA MOUNTS • POLYPLANAR SPLASH COVERS



### Fusion Marine Bluetooth Module

The MS-BT100 module streams audio from any A2DP Bluetooth capable Apple, Android, Windows, Blackberry or other device directly to the connected FUSION marine stereo. Featuring Direct Media Device Control - allowing you to quickly and easily select tracks, album, artist or playOnly from your device while you're on the go around your vessel.

Compatible with the following FUSION stereos: MS-CD80, MS-RA50, MS-IP600, MS-AV600, MS-CD600, MS-RA200, MS-RA205, MS-IP700, MS-AV700, MS-IP700i, MS-AV700i, CA-CD700 and CA-ML600

\*Effective range measured in a straight line, range will differ depending on placement of the Bluetooth module and obstructions.

Order No	Mfg No	Only
357286	MS-BT100	\$49.99



### Fusion Marine Bluetooth Module with Data Display

Certified IP65 water resistant and tested for the marine environment, the MS-BT200 is designed to connect to the FUSION MS-IP700, MS-IP700i, MS-AV700, MS-AV700i and MS-RA205 only via the Satellite radio connector of the unit.

Direct Media Device Control - allowing you to quickly and easily select tracks, album, artist or play only from your device while you're on the go around your vessel.

The MS-BT200 module streams audio from any A2DP Bluetooth capable Apple, Android, Windows, Blackberry or other device directly to the compatible FUSION marine stereo.

Order No	Mfg No	Only
357297	MS-BT200	\$79.99



WC400

WC3

### Polyplanar Stereo Splash Covers

Gasketed covers to protect stereo from direct exposure to the sea. Both models accommodate either dual post or DIN style stereos. Black Covers.

Dimensions:

WC3: 4" high x 9-1/8" wide x 2" deep.

WC400: 4" high x 9-1/8" wide x 10-1/2" deep.

Order No	Mfg No	Type	List
310530	WC400	Bracket Mount w/ Enclosure Box	\$69.95
310534	WC3	Panel Mount	\$24.95



### Polyplanar Overhead Radio Mount

Designed to accommodate today's larger front panel format marine radios as well as older DIN style and Post mount. Made from heavy wall ABS plastic, the RM-10 has room for all the accessory cables found on the newest radios. Accepts Poly Planar, Sony, Jensen, Marine AV and even Clarion CMD4!

Order No	Mfg No	List
320128	RM-10	\$24.95



### Fusion SXV300B Series Receiver

SXV300B Sirius Satellite Receiver connects to any Sirius ready Fusion 700 series stereo giving you access to all the entertainment Sirius has to offer. Antenna and Sirius subscription required.

Order No	Mfg No	Only
357413	MS-ACSXV-ONLY	\$79.99



### Nite Ize Curvymen Earphone Cord Holder

Durable, lightweight plastic, keeps unruly ear buds and headsets in order. Comes with a size #0 plastic S-Biner attachment so you can clip it to your keys, etc.

Order No	Mfg No	List
248480	CVM-03-01	\$3.75



### Whitecap Rail Fast Antenna Mount

Quick, easy installation of antenna on 1" or 7/8" railing. Ratchet surface permits 360° rotation for adjustment/lay-down. Holds antennas up to 8" in length. No drilling required; all necessary hardware provided.

Order No	Mfg No	Type	List
104187	S-7011P	Lay-down Design	\$21.20



### Whitecap Nylon Ratchet Antenna Mount

White nylon. Lay-down handle quickly loosens the ratchet for fast, easy antenna drop. Features standard 1"-14 male thread mount. Features both up/down and side-to-side adjustments. Flat base for deck mounting.

Base dimensions: 3-9/16" L x 2 1/2" W x 4-11/16" H

Order No	Mfg No	Only
244088	S-1805	\$13.48



### Whitecap Stainless Steel Antenna Mount

316 stainless steel construction. Lay-down handle quickly loosens the ratchet for fast, easy antenna drop. Features standard 1"-14 male thread mount with a hole for a Loran cable. Lightweight mount may be used self-supporting with an antenna up to 15' long. Both mounts feature two ratchets for both up/down and side-to-side adjustments. Flat base for deck mounting.

Base dimensions: 3 1/2" x 2 1/2".

Order No	Mfg No	Type	List
231267	S-1802BC	Heavy-Duty	\$95.48



### Heavy-duty Swivel Mount

Heavy-duty Swivel Mount.

Versatile four-way action fits almost any mounting location and permits antenna laydown in desired direction. For deck or side mounting when used with a stand-off bracket (sold separately). Bolt holes: 5/16in dia., 3in x 1 1/2in on center.

Standard 1in-14 thread.(male).

Order No	Mfg No	List
300105	407SHAKSPR	\$104.00



### Flange Mount

Low-profile Flange Mount - nylon. Same as style 4710, but made of nylon for moderate-duty applications.

Low-profile.

Standard 1in-14 thread.(male).

Nylon construction.

Order No	Mfg No	Only
130001	4711	\$6.95



### Pipe Adapter

1in-14 Thread Pipe Adapter. Slip this adapter onto a 1-inch diameter pipe for a standard 1-in-thread male fitting.

Attaches easily with set screws.

Standard 1in-14 thread.(male).

Stainless steel.

Order No	Mfg No	Only
300099	4705	\$16.00



### Ilexan Lift-n-Lay Mount

Enables antenna to Lift-n-Lay with positive snap action.

Leveling plate provided for mounting to a sloping deck.

Standard 1in-14 thread.(male).

Has 3/8in-24 thread brass insert.

Handles antennas up to 8ft.

Order No	Mfg No	List
300112	495	\$34.00



### Upper Antenna Bracket

Insulated stand-off bracket of white molded plastic. For use with Styles 81-S and 407 Swivel Mounts (each sold separately) and antennas of 1" (using insert provided) or 1 1/2" diameter. Includes a new 1-1/8" insert!

Corrosion resistant.

Easy-open for quick laydown.

Order No	Mfg No	Listy
300660	408-R	\$26.00

## Electronics/Navigation

### ANTENNA MOUNTS • ANTENNAS

**Shakespeare**  
SINCE 1897



#### 8 ft. (2.4 M) VHF Marine Band 6dB

8' (2.4m) VHF Marine Band 6dB End-fed with matching stub 8ft antenna with a brass element and a smooth, high gloss, polyurethane finish that won't turn yellow in the sun. Chrome-plated brass ferrule with standard 1in-14 thread. Includes 15ft RG-58 cable, which can be cut to size, and a PL-259 connector. One section.

Order No	Mfg No	List
140057	5101	\$76.00

**Shakespeare**  
SINCE 1897

#### 3 ft. (0.91 M) VHF Marine Band 3dB

Low-profile end-fed 1/2-wave with standard duty whip. Convenient press-and-twist bayonet fitting makes attaching or removing its stainless steel whip quick and easy. Stainless steel whip (36in). Whip is user replaceable. L-shaped bracket included for mounting. One section. Best applications include: bass boats and center console fishing boats; for small to medium and similar types of vessels.

Order No	Mfg No	List
300542	5242-A	\$112.00

**Shakespeare**  
SINCE 1897



#### 23 ft. (7.01 M) Single Side Band Antenna

Whip antenna with conductors running full-length (no loading coil). Reinforced insulating qualities allow input power up to 1 kw. Conductors are permanently sealed in Shakespeare white fiberglass. Chrome-plated brass ferrule with standard 1in-14 thread. Side feed termination band. Suggested mount: Style 409-R or 410-R Mounting Kit (each sold separately). Pictured mount not included. Mounts sold separately. Power input up to 1 kw. Two sections. 2 Sections: Base 162"; Tip 112".

Order No	Mfg No	List
300665	390	\$270.00



#### Metz Manta VHF Antenna

Provides both sail and powerboat mariners with an alternate to the large white fiberglass antenna for the VHF/FM marine radio. Slim stainless steel 34" whip mounted to a gold plated post into a 1-1/2" diameter stainless steel coil. • Stainless steel housing and bracket. • 1/2 Wave length, shunt fed. • Gold over nickel plated support. • Lightning protected. • Antenna attaches directly to a hand held radio with adapter.

Order No	Mfg No	List
300115	METZ/VHF	\$76.00

**Shakespeare**  
SINCE 1897



#### 8 ft. (2.43 M) VHF Marine Band 6dB

Extra heavy-duty radome and powerful internal elements for reliable service under the most demanding conditions. Brass and copper elements for maximum range and efficiency. Chrome-plated brass ferrule with standard 1in-14 thread. Includes 15 ft RG-58 cable, which can be cut to size, and a PL-259 connector. One section.

Order No	Mfg No	List
300539	5102/8	\$144.00

**Shakespeare**  
SINCE 1897



#### 19 ft. (5.79 M) VHF Marine Band 9dB

Phased 1/2-wave elements in a collinear array with a coaxial choking sleeve to suppress cable radiation. This long-distance VHF antenna is rigid enough to stay erect in rough seas, yet exceptionally lightweight. Brass and copper elements. Chrome-plated brass ferrules. Includes 20ft RG-58 cable and a PL-259 connector. 2 Sections: Base 162"; Tip 66". Best applications include: Fishing boats and Commercial vessels; for medium to large and similar types of vessels.

Order No	Mfg No	List
300109	4018/4019	\$552.00

**Shakespeare**  
SINCE 1897



#### Shakespeare 5241-R Classic VHF Antenna 3'

Measuring in at 3', the sealed, tin-plated copper wire coil delivers quality performance while the heavy-duty stainless steel whip maintains extra stability at high speeds. • Chrome plated brass canister minimizes de-tuning • Requires mount with center hole for passage of the supplied cable • 15' RG-58 coax cable and a PL-259 connector included

Order No	Mfg No	List
300544	5241-R	\$112.00

**Shakespeare**  
SINCE 1897



#### Shakespeare Style 4008 Classic Style Antenna Extension Masts

A sturdy, lightweight, 1 1/2 in. diameter extension mast manufactured of structurally strong fiberglass. Use a Shakespeare Style 409-R or 410-R Mounting Kit (sold separately). The mast is hollow, for passage of your antenna's cable. Chrome-plated brass ferrules, upper male, lower female. Standard 1in-14 thread.

Order No	Mfg No	Length	List
300108	4008/4	4'	\$118.00
300107	4008/8	8'	\$174.00

#### Seaworthy Marine 16.5" AM/FM Rubber Antenna

Weather resistant flexible rubber 180° swivel base. 16" tall.

Order No	Mfg No	List
130039	URB/3S	\$16.00



954-463-4307 • D.S. HULL COMPANY, INC. • www.dshullco.com



## Electronics/Navigation

### DYNAPLATE GROUND SHOES • CONNECTORS • ELECTRONICS CLEANERS • DIELECTRIC GREASE



#### Guest Dynaplate Ground Shoes

The most proven type and reliable style of grounding plate available today. Made of a sintered porous bronze matrix of approximately 50% porosity. Provides a 48 to 1 ratio of grounding area for its size. Improves performance of Loran C, SSB and VHF radios. The best ground path for hull bonding and lightning protection. Streamlined low resistance shape. Easy 2-step thru-hull installation.

Order No	Mfg No	Size	List
233208	4012	12" x 3" x 1/2"	\$414.18



#### Gardner Bender Coaxial Stripper

- Cuts and strips RG-59 and RG-6 coaxial cable.
- Can be used with both standard and quad shield cable.
- Multiple size stripping stations strip both the outer jacket and inner conductor.
- Exclusive hex-shaped slot helps push "F" connectors onto cable.
- Curved cutting blade.
- Patented.

Order No	Mfg No	List
221982	GS-89	\$14.50



#### CRC QD Electronics Cleaner

- Effectively removes contaminants from electrical and electronic components.
- Contains no chlorinated solvents.
- Evaporates quickly.
- Harmless to most sensitive plastics.
- Leaves no residue.

Order No	Mfg No	Size	List
232301	06102	11 oz.	\$10.28



#### Audiovox RG6 Coaxial Cables

White digital RG6 coaxial cable with F connector is a quality cable that can be used with antenna, VCR, TV, cable box or satellite receivers.

- Reliable and precise connection.
- Connects 75 Ohm coaxial cable components.
- Corrosion resistant gold plated connectors.
- 100 percent shielded to help minimize interference.

Order No	Mfg No	Length	List
221926	VH102506W	25'	\$8.99
221937	VG105006W	50'	\$14.95
221948	VG110006W	100'	\$25.00



#### Starbrite Screen Cleaner & Protectant With PTFE®

- Formulated for use on all marine electronics and all plastics.
- Spray on, wipe up excess to remove fingerprints, smudges, salt deposits
- PTFE® polymers help protect against UV damage
- Ideal for use on watertight phone cases
- Will not affect touchscreen performance

Order No	Mfg No	Size	Only
290078	88308	8 oz.	\$12.55



#### CRC Premium Marine Dielectric Grease

A unique non-curing compound for sealing, protecting and electrical insulating. Improves electrical performance by reducing arcing and voltage drop. Also ideal for lubricating plastic and rubber. Improves electrical performance in adverse weather conditions. Patented finger-actuated delivery system for smooth, continuous coverage.

Order No	Mfg No	Size	List
232364	06113	3.3 oz.	\$19.49



#### Audiovox Gold Plated RG6 Coaxial Connectors

- Corrosion resistant gold plated connectors.
- Designed for custom coaxial cable lengths.
- Reliable and precise connection.

Order No	Mfg No	Description	Pack	List
221960	VA1002RG6TW	Coaxial Twist Connector	2	\$2.25
221971	VA1002RG6CR	Coaxial F Crimp Connector	2	\$2.25



#### CRC Visiclear Electronic Screen Cleaner

A unique, high quality, natural water based foam cleaner for all televisions, monitors, notebooks/laptops, camcorders, navigation systems, touch screens, PDSs, scanners, and copy machines. It clings to surfaces and will not drip from vertical surfaces. Works to remove dirt, dust, fingerprints, nicotine, & haze deposits.

Order No	Mfg No	Size	List
232490	05131	6.9 oz.	\$16.83



#### CRC Technician Grade Di-Electric Grease with Precision Tip Applicator


A unique, non-curing compound used for sealing, protecting and electrical insulating. Improves electrical performance by reducing arcing, voltage drop and other conditions. Also ideal for lubrication of plastic and rubber.

Order No	Mfg No	Size	List
232340	05109	0.5 oz.	\$9.13



#### Zenith Speaker Wire

Order No	Mfg No	Type	Length	Only
221782	AS110024C	24/2	100'	\$8.99
220257	AS105018C	18/2	50'	\$14.28



#### Whitecap Microphone Clip

Corrosion resistant black nylon. Fits standard microphones. Requires 2 #6 fasteners for mounting.

Order No	Mfg No	List
287072	S-501C	\$3.53

## Electronics/Navigation

### UNIDEN & COBRA VHF RADIOS



#### Cobra VHF and GMRS Lapel Speaker/Mic Accessory

Includes the following features: Compact design, screw-in audio connector, rotating spring loaded clip, quality construction earpiece. Output jack compatible with all Cobra Marine Radios. Compatible with Cobra GMRS and PMR (using included adapter).

Order No	Mfg No	List
389906	CM330-001	\$49.95



#### Cobra Electronics HH125 3 Watt Waterproof Handheld VHF, Black

Fully featured VHF radio with a rugged compact design. It's perfect for recreational boaters or as a portable backup on larger vessels. It comes standard with a removable spring loaded belt clip, lanyard and DC cigarette lighter charger.

- Unique Compact VHF Radio
- Waterproof (to JIS4 standards)
- Illuminated LCD Display & Keypad

Order No	Mfg No	List
389501	MRHH125	\$79.99



#### Cobra Electronics HH350 6 Watt Floating VHF Radio, Grey

- Noise-Cancelling Microphone - Blocks background noise for clearer conversations.
- 6 Watt VHF - Select between 1, 3 and 6 watts for short and long range communication.
- USA, Canada & International Channels - Allows operation on any of the three different channel maps established for these areas.
- All NOAA Weather Channels and Weather Alert - Instant access to national All Hazards and weather information, 24 hours a day, and alerts if threatening weather is nearby

Order No	Mfg No	List
389917	HH350	\$129.99



#### Cobra Electronics VHF Radio with Bluetooth® Wireless Technology

- Bluetooth® Wireless Technology - Keep your cell phone safe and dry by pairing it to the radio.
- Rewind-Say-Again® - Replay missed VHF calls.
- Floating - Never lose your radio. The floating design and orange core make retrieval easy if dropped overboard.
- Noise-Cancelling Microphone - Blocks background noise for clearer conversations.
- 6 Watt VHF - Select between 1, 3 and 6 watts for short and long range communication.

Order No	Mfg No	List
389928	HH500	\$199.99



#### Cobra HH600W Handheld DSC Floating VHF Radio

Includes GPS and DSC. First handheld radio that shows your GPS coordinates and automatically transmits them with DSC calls to notify USCG or other vessels of your exact position in case of emergency.

Also features orange cone so it's easy to see in water and has a built-in flashlight and emergency strobe..

Also keeps your cell phone safe and dry and allows boaters to place/receive phone calls through the radio.

Order No	Mfg No	List
389931	HH600FLTGPSBT	\$229.99



#### Uniden Submersible Handheld Two-Way VHF Marine Radio

- JIS8 Submersible - Meets rigid JIS8 submersible standards (5' for 30 min.).
- Compact Size.
- Dual, Triple, and Quad Watch Plus.
- Selectable 1Watt/2.5/5 Transmit Power.
- All N.O.A. Weather Channels with Weather Alert.
- Memory Channel Scan.
- Up to 12 Hour Battery Life.
- All USA/International and Canadian Marine Channels - Covers all USA, International & Canadian marine channels keeping you up-to-date with all the latest marine activity.
- SMA Flexible Rubber Antenna.
- Covered by Uniden's 3 year warranty including any and all water damage.

Order No	Mfg No	List
377864	MHS75	\$139.99



Over 350 brand name manufacturers  
Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.

Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: [johnc@dshullco.com](mailto:johnc@dshullco.com)

Call Pamela Hutchisson at 954-463-4307 ext. 322

Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)



#### Standard Horizon Mini Speaker Microphone with Earphone Jack

Order No	Mfg No	List
122063	MH-57A4B	\$42.00



#### Standard Horizon Floating Handheld VHF Twin Pack

- Two floating Handheld VHF radios and a dual charging station to charge both radios simultaneously when not in use.
- New intuitive menu system makes it easy to customize settings.
- Floating
- Submersible IPX7 (3.3 feet or 1 meter for 30 min.)
- Slim, form fitting case design
- More than 7.5 hours of battery life
- Selectable 2.5 and 1 Watt transmit power output
- All USA, International & Canadian Marine Channels
- Programmable Scan, Priority Scan and Dual Watch
- NOAA Weather channels and Weather Alert
- 3 Year Waterproof Warranty

Order No	Mfg No	List
333327	HX100	\$199.98



#### Standard Horizon HX150 Floating Submersible Handheld VHF Radio

- Floating
- 10 hours of battery life, battery life indicator.
- Selectable 5 and 1 Watt transmit power output
- Supplied with a 1030 mAh Li-Ion battery w/ charger.
- All USA, International and Canadian Marine Channels
- Programmable Scan, Priority Scan and Dual Watch
- NOAA Weather channels and Weather Alert
- 3 Year Waterproof Warranty

Order No	Mfg No	List
333359	HX150	\$166.65



#### Standard Horizon Floating 6 Watt Handheld VHF Radio

- Floating / Submersible IPX7 Waterproof rating (3.3 feet or 1 meter for 30 minutes)
- All USA, International and Canadian channels
- Selectable 6W / 2.5W / 1W output power
- Receive WX and FM radio bands 76MHz to 108MHz
- High resolution dot matrix LCD display
- E20 Easy to Operate Menu system
- Programmable function keys
- Speaker mic Jack
- High capacity 1850 mAh Li-Ion battery
- 3 hour desktop rapid charger
- 12VDC and 110VAC charging cables and cradle included
- 3 year waterproof warranty

Order No	Mfg No	List
333186	HX210	\$166.65



954-463-4307 • D.S. HULL COMPANY, INC. • [www.dshullco.com](http://www.dshullco.com)



## Electronics/Navigation

### STANDARD HORIZON & ICOM HANDHELD & FIXED MOUNT VHF RADIOS

#### STANDARD HORIZON

##### Standard Horizon Compact Floating Handheld VHF

- Floats.
- 5 Watt transmit power
- Unique USB charging system
- Water activated LED light
- Preset Key (Maximum 10 channels)
- Preset channel scan function
- 600 mW loud internal speaker audio
- NOAA Weather channels
- Programmable Scan, Priority Scan, Dual watch and Tri Watch
- 1560 mAh 3.7V Li-Ion Battery, AC USB Plug with charging cable
- 3 year limited warranty.

Order No	Mfg No	List
333297	HX300	\$216.65



#### STANDARD HORIZON

##### Standard Horizon HX40 Ultra Compact Marine Handheld Transceiver

- Floats
- Ultra Compact case design
- 6W transmit power output
- 600mW Loud Audio Output
- Preset key used for up to 10 favorite channels
- Easy to operate menu system
- Scanning operation and Multi-Watch
- CH16/S Quick Access
- Built-in Lithium Polymer Battery Pack (7.4V, 185mAh)
- NOAA Weather Channels with Weather Alert
- FM Broadcast Radio Receiver

Order No	Mfg No	List
333417	HX40	\$199.99



#### STANDARD HORIZON

##### Standard Horizon HX400 Submersible Handheld VHF Radio

- Submersible
- Selectable 5 or 1 Watt transmit power output.
- Supplied with 2400mAh Li-Ion battery, AC and DC 3-hour quick chargers.
- Built-in noise Cancelling Microphone and Voice Scrambler for clear and private communications.
- 40 Programmable Land Mobile Channels
- NOAA Weather channels and Weather Alert.
- Low battery indicator.
- All USA, International and Canadian Marine Channels.
- Programmable Scan, Priority Scan and Dual Watch.
- Preset key used to recall up to 10 favorite channels.
- Key lock.

Order No	Mfg No	List
333253	HX400	\$333.32



##### ICOM M25 Waterproof VHF Radio

- Floats and flashing LED indicates location.
- 11 hours long battery life.
- USB charging (Micro-B USB type).
- AquaQuake draining function.
- Large LCD, simple user interface.
- 550 mW audio output.
- 4-step battery life indicator
- Weather Channel and Weather Alert
- Dual/tri-watch functions.
- Instant access to Channel 16
- Programmable.
- LCD auto backlighting

Order No	Mfg No	List
377420	M25-01	\$191.00



#### STANDARD HORIZON

##### Standard Horizon HX890

##### Submersible Handheld VHF Radio/GPS

- 6W transmit power output (Selectable 6/ 2/ 1 W)
- 700mW Loud Audio and Noise Canceling Function for both TX/RX audio
- Rugged case construction conforms to Military Standard (MIL-STD-810F)
- Submersible IPX8 Construction and it floats
- DSC (Digital Selective Calling) ITU-R M.493 Class-H Operation
- W2.60" x H5.43" x D1.50" – Round Case Design provides excellent ergonomics
- Built-in Integrated 66 channel WAAS GPS Receiver
- 11-hour Operating Time with 1800mAh high capacity Li-ion battery
- Easy to Operate Menu System with a large (1.7" x 1.7") Full-dot matrix display
- Selectable Display Mode - Day & Night Mode
- Waypoint and Route navigation
- Group Monitor Function utilizing DSC Group Position Call
- MOB (Man over Board) feature
- Water Activated Emergency "WHITE" Strobe Light
- Two Scrambler Systems built-in – 4-code CVS2500A & 32-code FVP-42
- Versatile Scanning operation (Dual Watch and Triple Watch)
- NOAA Weather Channels with Weather Alert
- FM Broadcast Radio Receiver
- Micro USB Data jack for PC programming
- 3 Year Waterproof Warranty

Order No	Mfg No	List
333428	HX890BK	\$333.32



##### ICOM M85 Handheld VHF Radio

- Smallest waterproof handheld VHF radio.
  - Can withstand hazardous and inhospitable environments; built MIL-STD 810.
  - IP67 waterproof rating protects the radio even if it is dropped into the water.
  - 100 programmable land mobile channels.
  - Easy to use voice scrambler for private communications.
  - Full of features including automated emergency alarm.
- Output power: 5/3/1 Watts  
Battery life: 2010MAH Li-ion battery, up to 14 hours.

Order No	Mfg No	List
377470	M85	\$470.00



Over 350 brand name manufacturers  
Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.

Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: [johnc@dshullco.com](mailto:johnc@dshullco.com)

Call Pamela Hutchisson at 954-463-4307 ext. 322

Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)



##### ICOM Compact VHF Marine Transceiver

- Compact design, hourglass body-shape and comfortable side grips.
- 6 Watts of transmit power.
- Audio is loud enough to hear in most marine environments – even over loud engine noise.
- Submersible.
- A wide viewing angle, high intensity LCD.
- Bright LCD backlighting and backlit keypad is great for night time operation.
- Auto scan function.



Order No	Mfg No	List
377429	M73-01	\$315.00



##### ICOM White M330-21 VHF Marine Radio

- Same features as the M324 series but within a smaller package to fit in tight spaces.
- AquaQuake draining feature.
- 25 Watts of power.
- IPX7 Waterproof rating.
- Scan/Select scan.
- Built-in Class D DSC with a CH70 dedicated receiver.
- Common NMEA interface for external GPS/NAV connector.
- Tag scan and favorite channel functions.
- Dual/tri-watch function for monitoring CH16 and/or call channel.
- Weather channel with weather alert.

Order No	Mfg No	List
377481	M330-21	\$245.00



##### ICOM White Compact VHF Marine Radio

- AquaQuake draining function.
- Built-in Class D DSC with a CH70 dedicated receiver.
- Common NMEA interface for external GPS/NAV connection.
- AquaQuake draining function.
- Tag scan and favorite channel functions.
- Dual/tri-watch function for monitoring CH16 and/or call channel.
- Priority scan function.
- Display and keypad backlighting.
- Weather channel and weather alert.
- 3-digit or 4-digit channel display selectable.
- 25 W output power.
- External GPS Antenna included.
- Waterproof rating: IPX7

Order No	Mfg No	List
377463	M330G41	\$345.00



## Electronics/Navigation

### ICOM VHF RADIOS • UNIDEN VHF RADIOS • STANDARD HORIZON VHF RADIOS



#### Fixed Mount VHF Marine Transceiver

- NMEA 0183 input/output can be used for external GPS/NAV interface.
  - Intuitive menu-driven user interface
  - 25W Two-Way Hailer
  - Class D DSC
  - Large LCD and Intuitive User Interface
  - 80dB (typical) IMD and channel selectivity
  - IPX8 submersible plus protection (1m depth for 60 minutes)
- Optional voice scrambler  
Output power: 25W or 1W (at 13.8V DC)

Order No	Mfg No	List
377430	M506-01	\$610.00

#### Flush Mount Kit

Order No	Mfg No	List
377374	MB-75	\$35.00



#### ICOM COMMANDMIC®

Allows nearly every function of the IC-M402, IC-M502, IC-M504-1 and IC-M412-12 (except DSC operation), or the IC-M602 (except DSC operation and Hailer mode) to be controlled from remote locations. COMMANDMIC® fits in your palm comfortably and with the sizable LCD, allows you to control most functions of the main unit except DSC operation and Hail function. You can talk with the main unit as an intercom. 19.8 ft of extension cable is attached to the unit. Submersible to JIS-7 specifications

Order No	Mfg No	Color	List
377294	HM-157W	White	\$175.00



#### Cobra Electronics 25 Watt Class-D Fixed Mount VHF

- Full function DSC-capable VHF radio. The selectable 1 or 25 Watt output is perfect for short or long-range communication.
- This unit has features usually reserved for more costly VHF radio units including Dual Watch, Dot Matrix Display Area, an adjustable backlight, and function keys on the mic.
- Weather Alert: Alerts with an audible tone and visual alarm if threatening weather is nearby.
- Digital Selective Calling allows you to send a distress signal at the touch of a button or exchange position information with other boats or stations.

Order No	Mfg No	List
389895	MR F45-D	\$149.95



#### Uniden Solara DSC 25 Wat- VHF Radio - UM385

- Affordable.
- All Channel Scan.
- All USA/International and Canadian Marine Channels - Covers all USA, International & Canadian marine channels keeping you up-to-date with all the latest marine activity.
- DSC position send and request
- DSC (Digital selective calling)
- Submersible - Meets the JIS4 Standards (1 meter for 30 minutes).
- Memory channel scan
- 3 Year Water Protection Warranty.

Order No	Mfg No	List
377897	UM385	\$149.99

#### STANDARD HORIZON

#### Standard Horizon Matrix VHF/ GPS (GX2200)

- AIS (Automatic Identification System) receiver or transponder must be connected to perform AIS functions.
- Contact AIS Ship with DSC\*.
- 80dB Commercial grade receiver.
- ITU-R M493-13 Class D DSC (Digital Selective Calling) with Individual, All ship, Position Report, Request and Distress.
- Independent Channel 70 receiver built-in for continuous DSC watch.
- Navigate to a DSC Distress Call\*.
- Submersible JIS-7 / IPX7 (3.3 feet for 30 minutes).
- ClearVoice noise canceling speaker microphone with channel selection and 16/9 key.
- 30 Watt PA/Loud Hailer with preprogrammed fog signals.
- Intercom between radio and RAM3+.
- Versatile user-programmable scanning, priority scan and Dual Watch.
- One-button access to Channel 16 and 9.
- Navigation (LAT/LON, SOG and COG) information shown on display when connected to GPS.
- 3 Year Waterproof Warranty.
- Overall dimensions: 3.1H x 7.1W x 6.3DW x 5.9D / Flush mount dimensions: 2.6H x 6.3W x 5.9D

Order No	Mfg No	Color	List
333362	GX2200B	Black	\$666.65

#### STANDARD HORIZON

#### Standard Horizon

#### Eclipse GX 1600 VHF Radio

- Affordable Ultra Compact Class D Fixed Mount VHF Radio.
- Meets ITU-R M493-13 Class D DSC (Digital Selective Calling).
- Replaces older Eclipse+ and Eclipse DSC Models.
- Radio controls on the Microphone.
- E20 Easy to Operate Icon/Menu System.
- Oversized Full dot matrix display (31 mm x 55 mm).
- Built in Separate Receiver for CH70 (Receiving DSC Calls).
- DSC test call and Auto DSC channel change selection.
- GPS position and Time Shown on a Full-dot Matrix Display when Connected to a GPS Receiver.
- NMEA In and Output Connections to a Compatible GPS Chart Plotter.
- Programmable soft keys.
- Automatically poll the GPS position of up to 4 ships using DSC.
- Submersible IPX8 waterproof rating (1.5M or 4.92 feet for 30 minutes).
- All USA/International and Canadian Marine Channels.
- Preset key used to recall up to 10 favorite channels
- NOAA weather channel selection with Weather Alert..
- Programmable Scan, Priority Scan, and Dual Watch.

Order No	Mfg No	Color	List
333286	GX1600W	White	\$299.98



#### STANDARD HORIZON



#### Eclipse Series GX1400 25W Fixed Mount VHF

- Affordable Ultra Compact Class D Fixed Mount VHF Radio.
- Meets ITU-R M493-13 Class D DSC (Digital Selective Calling).
  - Replaces older Eclipse+ and Eclipse DSC Models.
  - Radio controls on the Microphone.
  - E20 Easy to Operate Icon/Menu System.
  - Oversized Full dot matrix display (31 mm x 55 mm).
  - Built in Separate Receiver for CH70 (Receiving DSC Calls).
  - DSC test call and Auto DSC channel change selection.
  - GPS position and Time Shown on a Full-dot Matrix Display when Connected to a GPS Receiver.
  - NMEA In and Output Connections to a Compatible GPS Chart Plotter.
  - Programmable soft keys.
  - Automatically poll the GPS position of up to 4 ships using DSC.
  - Submersible IPX8 waterproof rating (1.5M or 4.92 feet for 30 minutes).
  - All USA/International and Canadian Marine Channels.
  - Preset key used to recall up to 10 favorite channels.
  - NOAA weather channel selection with Weather Alert.
  - Programmable Scan, Priority Scan, and Dual Watch.

Order No	Mfg No	Color	List
333439	GX1400B	Black	\$249.98
333446	GX1400W	White	\$249.98

#### STANDARD HORIZON



#### Standard Horizon Explorer Series

#### GX 1800 25W VHF Radio

- Meets ITU-R M.493-13 Class D DSC (Digital Selective Calling).
- Separate Receiver for CH70 (Receiving DSC Calls).
- Ultra-slim and compact Rear case design (Depth 3.3", 82mm).
- NMEA 0183 Connectivity.
- E20 (Easy to Operate) Icon & Menu System.
- Preset key stores up to 10 favorite channels.
- Second Station Remote Microphone (Optional RAM4 SSM-70H).
- Intercom Feature between the Radio and an Optional Second Station.
- Programmable Scan, Priority Scan, and Multi Watch.
- Automatic DSC polling of up to 6 ships GPS positions.
- GPS Compass, Waypoint and GPS status pages (when connected to a GPS).
- Enter, Save, and Navigate to a waypoint using the Compass page (when connected to a GPS).
- Navigation (LAT/LON, SOG, and COG) information shown on display (when connected to a GPS).
- GM (Group Monitor) Using DSC Group position Calling.
- MOB (Man over Board) Operation.
- Selectable Night Mode Display.
- Noise canceling microphone with channel change selection, 16/S and H/L keys.
- NOAA Weather channels with weather Alert.

Order No	Mfg No	Color	List
333450	GX1800B	White	\$333.32



954-463-4307 • D.S. HULL COMPANY, INC. • www.dshullco.com