

# Plumbing / Hose / Pumps / Sanitation

## SHOWERS



### Water Pik Chrome Eco Flow Hand Held Shower

Reduces water consumption.

Flow rate: 1.6 GPM

Diameter shower head: 3.25"

Spray settings: Full body, Full body + massage, pulsating massage, water saving trickle.

Order No	Mfg No	List
220635	VBE453	\$43.70



### Scandvik Push Button Shower

Straight handle push button sprayer handles for our recessed showers.

Thread type: 1/2" male straight.

White handle

Order No	Mfg No	List
130604	10283P	\$61.00



### Scandvik Stainless Steel Recessed Shower

Comes with white push button sprayer and 6' white nylon hose.

316 stainless steel cap with chrome plated brass and plastic sprayer, white nylon hose.

New cap design for recessed showers will add a touch of elegance to your boat.

Friction lock will hold cap open.

Water connection: 3/8" BSP-F fitting. 1/2" NPS adapter available (Scandvik no. 10961 Nylon).

Order No	Mfg No	Description	List
140371	12131P	Complete Shower	\$140.00



Like Us On  
facebook

954-463-4307 • D.S. Hull Company Inc. • www.dshullco.com



### SSI Stowaway Shower

This compact unit has a chrome-plated faucet, plastic shower head, and a 72" long hose enclosed in a recessed panel with stainless steel full-length hinge on the door. It can be installed anywhere to hook into an existing pressurized water system. The panel is molded from white ABS plastic so that it can be placed outside for your swim platform rinse-offs. (Please note: Space must be available underneath the panel for the shower-head and hose storage.)

Dimensions:

Width: 12-1/4"; Height: 7-1/4"; Depth: 3-1/2"

Cut out: 10-3/4" x 5-3/4"

Order No	Mfg No	List
200331	48500000	\$179.99



### Scandvik Recessed Shower

Handle drops into container for a flush surface. Includes a lid to cover the shower when not in use and a 6'6" hose. It is compact and perfect for installations in the cockpit coaming or as a transom shower. Can be installed vertically or horizontally. White handle and hose. Chrome plated brass handle. Nylon hose with 3/8" female BSP thread.

Order No	Mfg No	Description	List
286051	10055P	Complete Shower	\$85.50
140368	10252P	Recessed Plastic Cap	\$13.00
286068	10290P	6' White Replacement Hose	\$25.00
140369	10253	Replacement Cap	\$11.40



### Whale Swim 'N' Rinse

- Adds a touch of luxury to any boat.
- Attractive design.
- Simple to install.
- 2.1 m (7 ft) hose.
- On/off control on shower handset.
- Hinged cover with latch to close.
- Connects directly to Whale Quick Connect 15 mm.

Order No	Mfg No	List
353273	RT2658	\$240.33



### Master Plumber 59-Inch Chrome/Black Vinyl Shower Hose

59" long.

Order No	Mfg No	List
221326	346783	\$15.99



### Scandvik Compact Shower Valve

Can be counter top or bulkhead mounted.


Does not mix water; cold water only.

Mounts to maximum of 3/8" thick counter or bulkhead.

Provides a 3/8" sprayer hose attachment (1/2" NPT fitting included).

4-7/8" total height; 2-5/8" total width..

Order No	Mfg No	List
140405	10091P	\$70.00



### Whale Twist Deck Shower Mixer

- Connects to both hot and cold water; mixes for desired temperature.
- Putting control in your hands.
- Unique integrated handset incorporates temperature and flow controls.
- Easy to use streamlined ergonomic design.
- High quality UV resistant ASA materials.
- Deck Protect End Cap creates a splash-proof seal.
- Easily installed, requires a circular hole and simple plumbing connection.
- May be mounted horizontal or vertical on flat or curved surface.
- Pale grey with white hose.

Order No	Mfg No	List
353383	DS0006	\$222.11

### Wall Mount

Order No	Mfg No	List
220215	5001AC-PK	\$13.50

# Plumbing / Hose / Pumps / Sanitation

SHOWER VALVE • SINK SPRAYERS • SHOWER SUMP PUMPS • SINK SPRAYERS



## Scandvik Trigger Spray Handles

Straight standard trigger sprayer handles.  
Thread type: 1/2" male straight.

Order No	Mfg No	Color	List
130602	10295P	Black	\$22.50
130603	10279P	White	\$22.50



## Scandvik Trigger Sprayers w/6' Hose

On/off trigger or flip up for continuous water flow. Included counter top holder leaves the sprayer in a ready-for-action position. Can be connected to any mixing bridge, shower mixer for cold water control with 3/8" BSP-M hose connection.



Order No	Mfg No	Color Handle/Hose	List
140382	10196P	White/White	\$48.50

## Scandvik Replacement Sprayer Hoses

Order No	Mfg No	Color	Length	List
140435	10321P	White	10'	\$32.00
140446	10325P	White	13'	\$35.50
140452	14217P	White	20'	\$54.50



## Scandvik Black Pull Out Sprayer

Shower with on/off trigger and straight handle. 6'6" long nylon hose. Complete with sleeve. Chrome plated brass handle with black cover. For galley, head or bait station.

Order No	Mfg No	List
286057	10054P	\$58.80



## Scandvik 3/8" BSP-M to 1/2" BSP-M Adapter

Order No	Mfg No	List
140471	10961P	\$4.20



## Scandvik Bulkhead Shower Mount

Fixed holder for straight shower handles. Measures: 1-3/8" diameter and projects 2" from bulkhead. Chrome plated plastic.

Order No	Mfg No	List
140416	14067P	\$6.90



## Rule Shower Drain System

Activated by a non-mercury Rule-A-Matic Plus float switch. Turns on/off automatically. 8-1/4" L x 11-1/4" W x 5-1/2" H Inlet sizes are 3/4" (2); 1"; 1-1/8"; & 1-1/2"; Discharge is 3/4" 800 GPH



Order No	Mfg No	Voltage	List
233600	98A	12 VDC	\$195.28
280463	98A-24	24 VDC	\$205.68

## Replacement Pumps

Order No	Mfg No	Volts	List
280215	20R	12 V	\$62.43
280227	21R	24V	\$68.15



## Whale Gulper 220 Shower Drain & Waste Water Pump

- Up to 14 ltrs (3.7 US gals) per minute.
- Will run dry without damage and pump a mixture of air and water.
- Specially designed to pump waste water.
- Large single diaphragm.
- Virtually non-choke valves.
- Quiet running.
- No filter required.
- Self-priming up to 3 m (10 ft).
- Easy to install in confined spaces.
- Double outlet valve ensuring continuous flow.
- Multi directional head.
- Can be mounted almost anywhere.
- Low power consumption.

Order No	Mfg No	Voltage	List
353295	BP1552	12 VDC	\$271.16
353306	BP1554	24 VDC	\$279.04



## Jabco Series 2 Shower Drain Pump

Quiet running and corrosion resistant bilge, shower and sink drain pump. 3.4 GPM open flow output @ 3ft. Self-priming up to 6 ft. vertical lift allows mounting above wet bilges. Quiet running. Corrosion resistant materials throughout. Complete with Pumpgard. Diaphragm design allows extended dry running. Complies USCG 183.410 and ISO 8846 Marine (Ignition Protection). Connections: 3/4" I.D. hose. Dimensions: 5-1/4" wide x 5-3/4" high x 7-1/2" deep.

Order No	Mfg No	List
182850	37202-2024	\$373.35



## Jabco General Purpose/Shower Sump/Bilge Pumps

Run Dry Without Damage. Smooth Flow. Four Piston, Diaphragm Pump can run dry without damage. Powerful Heavy Duty Motor with Thermal Overload Protection. Snap-in Ports Pressure Switch with Rubber Boot Meets USCG Regulation 183.410 and EN ISO 8846 MARINE (Ignition Protection Standards) Meets EN 50081-1 Electro-magnetic Compatibility

Order No.	Mfg. no.	GPM	Voltage	List
182047	31610-0092	3.5	12 VDC	\$223.80
182080	31705-0092	4.3	12 VDC	\$284.33



## Whitecap Bar/Sink Faucet

Chrome plated brass construction with acrylic handles. 4" centers makes it perfect for small sinks.

Order No	Mfg No	List
231272	P-4068A	\$60.25



## Scandvik Washdown Faucet

Washdown spigot with standard garden hose thread of easy hoe hookup. Chrome plated brass body and flange with chrome ABS knob. Water connection: 1/2" male straight thread. Flange diameter: 2-1/4"

Order No	Mfg No	List
286053	10186P	\$56.00



## Scandvik Stainless Steel Washdown Faucet

Washdown spigot with standard garden hose thread of easy hoe hookup. Entire unit made of stainless steel. Water connection: 1/2" male straight thread. Flange diameter: 2-1/4"

Order No	Mfg No	List
140493	10187P	\$122.00

# Plumbing / Hose / Pumps / Sanitation

## FAUCETS • DRAINS • WATER INLET & OUTLET FITTINGS



**Whitecap Raw Water Washdown Faucet - Chrome Plated**  
1/2" FIPT x 3/4" GHT. Regular silcock pattern. Brass handle.

Order No	Mfg No	List
231271	P-2452C	\$34.90



**Whitecap 316 Stainless Steel Raw Water Washdown Faucet**  
1/2" FIPT x 3/4" GHT. Regular silcock pattern.

Order No	Mfg No	List
335071	P-2456	\$58.03



**Air-Gap Goose Neck Faucet**  
Black and plastic spout tip, stainless steel spout, Air-Gap NSF Certified special design, high quality and competitive price.

Order No	Mfg No	List
103050	LF-1	\$45.00



**Scandvik Flush Mount Sink Drain**  
1" hose barb makes installation a snap. Stopper and chain included. Our most popular and easiest to install drain.

Order No	Mfg No	List
286058	11306P	\$33.60



**Whitecap Sink Strainer Assembly**  
Sink Strainer Assembly. Long lasting assembly connects 2" to 2-1/2" sink opening to 1-1/4" drain pipe. Includes snap-in basket that acts as a strainer and stopper. Has S.S. Flange with C.P. plastic basket with ABS body.

Order No	Mfg No	List
377202	P-2102	\$7.23



**Perko Water Inlet Fitting**  
Chrome plated bronze. Standard female swivel hose connector. Complete with black plastic watertight plug and stainless steel bead chain. For obtaining water under pressure at dockside.  
Pipe size: 1/2"  
Flange O.D.: 2-3/4"  
Screw size: #8 (not included).

Order No	Mfg No	List
702796	499/DP/CHR	\$128.55

### Spare Parts

Order No	Mfg No	Description	List
702797	499DPO99A	Cap with Chain	\$19.15



**Perko Water Outlet Fitting**  
For use with on-board washdown systems.  
Chrome plated bronze.  
Standard male hose connector.  
Watertight black polymer cap.  
Stainless steel bead chain.  
Pipe size: 1/2"  
O.D. Flange: 2-3/4"  
Screw size: #8

Order No	Mfg No	List
702828	0504DPOCHR	\$97.73



**Camco Water Pressure Regulator**  
Protects plumbing and hoses. Factory pre-set at 40-50 psi. 3/4" pipe size.

Order No	Mfg No	List
222321	40143	\$12.99



**Jabco PAR Water Pressure Regulator**  
Protects boat water system appliances and pumps from damaging pressures of unregulated marina water hookups. Reduce high water pressures automatically to a safer pressure level. Built-in backflow preventer. Easy to install. Easy to clean in-line filter.

Order No	Mfg No	Pressure PSI	Description	Inlet	Outlet	List
241156	44410-1045	35-100 psi	White Plastic Flush	3/4" GHT	1/2" NPT	\$53.95
241158	44410-2045	35-100 psi	Chrome Plastic Flush	3/4" GHT	1/2" NPT	\$70.15
183136	44411-0045	46-125 psi	White Plastic In-line	3/4" GHT	3/4" GHT	\$52.88
183147	44411-1045	46-125 psi	White Plastic flush	3/4" GHT	3/4" GHT	\$61.08



**Whitecap Chrome Plated Brass Water Inlet Fitting**  
Chrome plated brass.  
1/2" FIPT x 3/4" GHT water inlet.  
Base diameter: 2-3/4"  
Depth: 1-1/2".  
Fastener: #6 (3).

Order No	Mfg No	List
240190	P-2455C	\$46.63



**Whitecap Chrome Plated Brass Water Outlet Fitting**  
Chrome plated brass.  
1/2" FIPT x 3/4" GHT water inlet.  
Base diameter: 2-3/4"  
Depth: 1".  
Fastener: #6 (3).

Order No	Mfg No	List
240189	P-2454C	\$31.50



**Shurflo Regulated City Water Entry**  
Plastic. An exclusive diaphragm design prevents high-pressure damage often caused by city water systems. Leak-tight, stress and crack-resistant, these high-performance water entries limit water pressure safely to 65 PSI [3.4 Bar] while meeting or surpassing all check valve code requirements. 1-Year Warranty.

Order No	Mfg No	Finish	List
232181	183-029-14	Chrome	\$56.71
328330	183-029-18	White	\$51.14

White Plastic  
Flush

Chrome Plastic Flush



In-line

