

# Plumbing / Hose / Pumps / Sanitation

## WATER PRESSURE SYSTEMS • WASHDOWN QUICK CONNECTOR KIT • SNAP IN PORT FITTINGS



### Galley Maid Water Pressure Systems

These systems are available in two sizes: 7 gallons per minute for yachts to 50' and 12 gallons per minute for larger vessels. These water systems are complete with Aqua Cell Tank, check valve, pressure gauge, and pressure switch. Operating pressure settings are: High pressure cut out at 33 psi, low pressure cut in at 25 psi with dry tank cut out at 10 psi.

Order No	Mfg No	Capacity	Voltage	List
297989	01-00025	12 GPM	12 VDC	\$1,179.00
297991	01-00030	12 GPM	24 VDC	\$1,179.00



MR-7 Stator

MR-7 Rotor


MR-10 Rotor



MR Pressure Switch



Pressure Gauge



MR-10 Stator

### Galley Maid Water Pressure System Parts

Order No	Mfg No	Fits	List
106243	01-00165	MR-7 Stator	\$56.00
106238	01-00155	MR-7 Rotor	\$129.00
106235	02-00510	MR-10 Rotor	\$172.00
106239	01-00170	MR Pressure Switch	\$75.00
106240	01-00195	Pressure Gauge	\$30.00
106242	01-00510	#150 Stator	\$82.00



### Water System Pumps (New)

Order No	Mfg No	Fits	Voltage	List
106233	03-00265	MR-24-10	24 VDC	\$753.12
106229	03-00295	MR-32-10	32 VDC	\$753.12



a xylem brand

### Jabco VFLO 5.0 Constant Flow Water Pressure Pump

Runs smooth and quiet without water hammer. Consistent water pressure provides a comfortable shower with the proper mix of hot and cold water. Water flow adjusts quickly to meet your demand with new and improved next generation electronic controls that decrease pump response time. Conserves power. Motor power draw matches flow demand. High capacity - supplies water for up to 4 outlets simultaneously. Self-priming (10 ft. max. suction lift). Runs dry without damage. Snap fit port fittings - for easy installation with a variety of connection possibilities. Saves space - eliminates need for accumulator tank. Operating pressure PSI: 40

Order No	Mfg No	Capacity	Voltage	List
280981	42755-0092	5 GPM	12 VDC	\$457.20
280992	42755-0094	5 GPM	24 VDC	\$510.63




a xylem brand

### Jabco PAR MAX Water Pressure System Pumps

- Smooth flow
- Dry running capability
- Soft noise absorbing mounts
- Snap-fit port fittings
- Built-in bypass-less pulsation
- Reduces need for accumulator tank
- Corrosion resistant materials
- CSA Onlyed
- ISO 8846 MARINE (ignition protection)



Order No	Mfg No	Capacity	Voltage	Ports	List
182938	42630-2900	1.1 GPM	12 VDC	3/8" Hose Barb	\$117.58
241294	31295-0092	1.9 GPM	12 VDC	1/2" Hose Barb	\$147.25
241305	31395-0092	2.9 GPM	12 VDC	1/2" Hose Barb	\$159.13
241316	31395-0094	2.9 GPM	24 VDC	1/2" Hose Barb	\$165.08
241258	31600-0092	3.5 GPM	12 VDC	1/2" Hose Barb or Thread	\$217.33
241338	31600-0094	3.5 GPM	24 VDC	1/2" Hose Barb or Thread	\$229.20
241349	31620-0092	4.3 GPM	12 VDC	1/2" Hose Barb or Thread	\$289.75
241350	31620-0094	4.3 GPM	24 VDC	1/2" Hose Barb or Thread	\$343.20



30649-1000



30654-1000



30653-1000



30650-1000



30655-1000



30651-1000



30642-1000

### Snap-in Port Fittings

Fittings snap into ports to allow connections with various types of hose connectors. Sold in pairs.

Order No	Mfg No	Ports	Type	List
280880	30649-1000	1/2"-14 MPT	Straight	\$7.13
280891	30654-1000	1/2" Male Hose Barb	Straight	\$7.13
280902	30653-1000	3/4" Male Hose Barb	Straight	\$7.13
280913	30650-1000	Male Garden Hose Thread	Straight	\$7.13
280924	30655-1000	1/2"-14 MPT	90 deg. Elbow	\$7.13
280935	30651-1000	1/2" Male Hose Barb	90 deg. Elbow	\$7.13
280946	30642-1000	3/4" Male Hose Barb	90 deg. Elbow	\$7.13



Over 350 brand name manufacturers

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.

Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: johnc@dshullco.com

Call Pamela Hutchisson at 954-463-4307 ext. 322

Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)

# Plumbing / Hose / Pumps / Sanitation

## WATER PRESSURE PUMPS

### Johnson Pump



#### Johnson Pump Aqua Jet Series Water Pressure System Pumps

Quiet and pulsation-free even at low speeds, Aqua Jet five-chamber diaphragm pump provides the perfect water pressure solution for both small and medium sized leisure and commercial boats. WPS 3.5 Fitted with a built-in pulsation dampening by-pass to control unwanted cycling and noise.

CE-approved.

Features:

Whisper quiet operation.

Five-chamber construction.

Self-priming.

Easy, low cost maintenance.

Quick-connect hose or threaded connectors available.

Pressure switch standard.

Long service life.

Made in U.S.A.

3 year manufacturer's warranty.

Order No	Mfg No	Capacity	Voltage	List
323895	10-13405-103	2.9 GPM	12 VDC	\$142.15
323906	10-13395-103	3.5 GPM	12 VDC	\$179.05
323928	10-13406-107	5.2 GPM	12 VDC	\$261.53
323939	10-13406-108	5.2 GPM	24 VDC	\$273.53

### PENTAIR SHURFLO®



#### Shurflo Aqua King Jr. 2.0 Fresh Water Automatic Demand Pumps

Designed for vessels with 1-2 fixtures. Quiet operation and smooth performance while providing the ultimate in durability and reliability. Designed and built specifically for the harsh marine environment for 1-2 fixture applications. Equipped with sealed switches and seamless e-coated motors. Thermally and ignition protected. 3-Year Warranty.

• Self-Priming

• Run Dry Capability



• Ignition & Thermally Protected

• 30 PSI Shut Off Pressure

• CE Onlyed

7.3" x 5.0" x 4.6"

Order No	Mfg No	Model	Capacity	Voltage	List
232175	4128-110-E04	Junior	2.0 GPM	12 VDC	\$152.59



#### Groco Positive Displacement Reversing Gear Pump - 24 VDC

Capable of operation in either direction.

Relatively low flow (less than vane pumps) makes them suitable for duties such as deck-wash, fuel transfer, ballast transfer and oil change.

Ignition protected motor and #316 stainless steel shaft

Self-priming.

3/8" NPT ports.

Max. GPM: 3

Requires 15 "amp breaker.

Order No	Mfg No	Voltage	List
380071	GPBR-1	24 VDC	\$605.00

### PENTAIR SHURFLO®



#### Shurflo Aqua King Standard 3.0 Fresh Water Automatic Demand Pumps

Designed for vessels with 1-2 fixtures. Quiet operation and smooth performance while providing the ultimate in durability and reliability. Designed and built specifically for the harsh marine environment for multi-fixture applications. Equipped with sealed switches and seamless e-coated motors. Thermally and ignition protected. 3-Year Warranty.

• Self-Priming

• Run Dry Capability

• Ignition & Thermally Protected

• 55 PSI Shut Off Pressure

• CE Onlyed

Dimensions: 7.3" x 5.0" x 4.6"

Order No	Mfg No	Model	Capacity	Voltage	List
232176	4138-111-E65	Standard	3.0 GPM	12 VDC	\$178.03
328228	4138-131-E65	Standard	3.0 GPM	24 VDC	\$199.23

### PENTAIR SHURFLO®




#### Shurflo Aqua King II Fresh Water Pressure System Pump

Designed for boats with multi-fixtures to provide "just like home" shower pressure, and can operate at lower flow conditions without cycling. A built-in mechanical bypass function enables these pumps to vary the flow rate for any on-demand condition, without the need for an accumulator. With heavy-duty motors built to withstand the tough marine environment these motors feature an electro-coated seamless shell motor, O-ring sealed end bells, and complete sealed wire entries on the motor shell and pressure switch. Can run dry without damage. Inlet strainer and 1/2" hose barb fittings are included. Ignition protected. Thermally protected.

Order No	Mfg No	Voltage	Flow	List
232174	4148-153-E75	12 VDC	4.0 GPM	\$287.10
328217	4148-163-E75	24 VDC	4.0 GPMC	\$299.34
328115	4158-153-E75	12 VDC	5.0 GPM	\$356.10
328124	4158-163-E75	24 VDC	5.0 GPM	\$368.35

### PENTAIR SHURFLO®



#### Shurflo Fittings For Tubing & Hose for Use with Shurflo Pumps

Order No	Mfg No	Item	List
232186	244-3926	90° 1/2" NPT x 1/2" Hose	\$3.15
328171	244-2926	Straight 1/2" FPT x 1/2" Hose	\$3.15
328183	244-3946	90° 1/2" FPT x 3/4" Hose	\$4.40
328195	244-2946	Straight 1/2" FPT x 3/4" Hose	\$3.15

### PENTAIR SHURFLO®



#### SHURFLO 94-238-04 Diaphragm / Drive Assembly Kit for Models 2088 / 2090

This kit fits all earlier versions of model 2088 even though it appears physically different than original parts.

Order No	Mfg No	List
232198	94-238-04	\$40.01



954-463-4307 • D.S. Hull Company Inc. • www.dshullco.com

# Plumbing / Hose / Pumps / Sanitation

ACCUMULATOR TANKS • GUSHER FOOT PUMP • WATER PRESSURE FILTER • WATER SOFTENER MAINTENANCE PRODUCTS



## Whale Gusher Foot Operated Manual Galley Pump MK3

The world's favorite galley pump!

- Pumps fresh and salt water.
- Self primes and operates dry without damage.
- Smooth double action.
- 4.3 gallons per minute.
- Multi-directional inlet and outlet nozzles.
- Three mounting options – including thru bulkhead.
- Easy, smooth hands free operation.
- Can serve as a priming pump or as a standby should power supply fail.

Order No	Mfg No	List
104900	GP0550	\$188.25



AK0553

## Parts

Order No	Mfg No	Includes	List
353405	AK0553	Repair Kit	\$38.18



SHURFLO®



## Shurflo Twist-On Filter For Water Pressure System Pumps

Foreign debris and other particles are prevented from entering the pump with this in-line filter. The transparent design reveals when it's time to twist off the back for easy disassembly, cleaning and reassembly. Available in 1/2" pipe thread. Fits all SHURflo® multi-fixture pumps.

Order No	Mfg No	List
232180	255-313	\$16.64



## Jabco Pumpgard In-Line Strainer

Prevents dirt and articles from entering pump intake, cuts repairs, easy to install. Works in any position. 50 mesh stainless steel screen. Transparent inspection housing. Slip-on ports.

Order No	Mfg No	Ports	List
241159	36400-0000	1/2" Barb	\$32.08
241160	36400-1000	1/2" Threads	\$32.08
241161	36200-0000	3/4" Barb	\$32.08



SHURFLO®



## Shurflo Pre-Pressurized Accumulator Tanks

Reduce cycling pulsation and pressure spikes, increase the life of your pump and even save battery power. Patented domed displacement diaphragm to minimize noise and power usage. Easily handles pressure requirements from 20 psi to 125 psi.

Specifications: 8.90" H, 4.06" D. 24 oz.

Total volume. Maximum psi: 125 psi. Precharged at 20 psi.

Order No	Mfg No	List
289961	182-200	\$86.87



## Groco PST Series Pressure Storage Tank

Important for high performance water pressure systems. A pneumatic pressure charge, matched to the pump cut-on pressure, prevents tank waterlogging by separating the air charge from the system water by means of a rubber bladder. This results in a smooth delivery of pressurized water, even temperature mix in showers and reduces pump cycling. Fresh or salt water use. May be mounted in any position (including upside-down) and anywhere in the boat's cold water plumbing after the pump. Stainless steel straps and mounting hardware included. Air valve, located at opposite end of tank from plumbing provides for easy checking and adjustment of the PST air charge. Standard tire pressure gauge and pump fits the air valve. Several small tanks may be installed in series where space is a problem for one large tank.

Specifications:

Capacity: 1 gallon

Diameter: 8"

Length: 12"

Pipe connection: 3/4"

Fits: Pump models PJR, WSC-60, WSC-80

Order No	Mfg No	List
380015	PST-1	\$153.00



## Jabco Accumulator Tank

- Internal bladder.
- Smoother and more even flow.
- Quieter water system.
- Better temperature control.
- Longer pump life.
- Lower battery drain.
- Simply fitted to new or existing systems.
- Compact size.
- Snap-in port fittings include both: 1/2" barbed hose fittings and 1/2" threaded hose fittings.
- Tank: Hygienic, Light, Compact, impact and pressure resistant plastic construction.

Order No	Mfg No	List
280765	30573-0000	\$121.13



## Yacht Mate Products Pro Softener Mate

A unique blend of chemicals formulated to remove limited iron, manganese, silt, metal particles and organic compounds that cause water softener inefficiencies. Regular use as a maintenance program will restore the softener back to peak efficiency and maintain the life of the unit. Please note: 3 packets are recommended for one gallon of water used to treat most water softeners.

Order No	Mfg No	Size	List
381907	PP-SOFT	4 oz.	\$5.99



## Yacht Mate Products Rust Out

Chemically removes iron and rust build-up that coats the resin beds and fouls the softener. This iron build-up is not totally removed during normal regeneration of a water softener. Use the softener rust remover regularly as preventive maintenance to ensure the softening and recharging efficiency of the softener's resin bed. Please note, 3 packets are required to mix with one gallon of water to clean most water softeners.

Order No	Mfg No	Size	List
381918	PP-RUST	4 oz.	\$5.99



## Sudbury Aqua Clear

For rust free water from drinking water tanks. May be safely used continuously in drinking water. Forms microscopic film over all surfaces it touches so that corrosion in metal pipes or tanks is controlled. Colorless, odorless, non-toxic.



Order No	Mfg No	Size	List
233609	835-Q	Quart	\$19.99



## Sudbury Aqua Fresh

For fresh tasting, odor free drinking water from fiberglass, plastic or metal tanks. Simply deposit the contents of these handy packets into water tanks. Absolutely safe and nontoxic.



Order No	Mfg No	Size	List
233608	830	Eight 2 oz. packets	\$19.25



## Trac Ecological P.S.R.

Formulated to remove residues caused by fresh water including scale, silicate, calcium, sludge and all other mineral deposits.

- Can be used by one of two methods;
- Immersion: Isolate the tanks, fill the entire system and let stand.
- Circulation: Inject PSR® into tank, mix, run faucets for 2 minutes every 15 minutes until the tank is empty. Fill the system and rinse.



Order No	Mfg No	Size	List
230730	1222-MG	Gallon	\$85.10



# Plumbing / Hose / Pumps / Sanitation

## WET SPOT SOFTWATER WASHDOWN SYSTEMS

**WET SPOT**



WSHD



WSP



SWS

### Wet Spot

#### Softwater Washdown Systems

Uses proven technology common in residential and commercial water softeners, in a portable, manually operated tank, that travels anywhere. 12 year warranty.

**Plus Model** (#WS2500C) - Suitable for boats up to 80' and comes with wheels and a carrying handle underneath. 33" x 10" x 9". Weight: 35 lbs. dry. 31 lbs.

**Wet Spot Heavy Duty** (4000)- Large enough for large yachts and big sportfishing boats, and boats that travel to areas like Mexico or the Med, where water is extremely hard, requiring the extra punch. Extra strong with doubled bases and no wheels. 38" x 10" x 9". Weight: 42 lbs.

**Wet Spot Super Model** - For any size yacht in any water system, anywhere. Comes with wheels and handle, and doubled bases for extra strength.

45" x 10" x 9". Weight: 50 lbs.

\*All units come with all necessary equipment to operate - A recharger, 30" service hose, 10" recharge hose, and a softness test kit. Salt is purchased separately, as needed. The average 60 ft. boat will use only about 10 lbs. of salt per month.

Order No	Mfg No	Model	Gallons Between Recharge	Length	List
120027	WSP	Plus	2500	33"	\$860.00
120820	WSHD	Heavy Duty	4000	38"	\$995.00
120821	SWS	Super	5500	45"	\$1035.00



WSC-4C




TK010



RCHD1



HS58



Filters



NQD01-1 & NPQD05-5



Salt

### Parts and Supplies

Order No	Mfg No	Item	List
120029	WSC-4C	Conditioner (Net weight 4 oz. pouch)	\$12.95
120540	TK010	Water Test Kit	\$15.95
121949	RCHD1	Recharge Unit with Hoses	\$105.95
121097	HS58	5/8" Hose Set	\$30.00
287200	FM-5-975	5 Micron Water Filter	\$11.25
287201	FM-20-975	20 Micron Water Filter	\$10.50
120470	FM-5-20	5 Micron Sediment Filter	\$17.50
121119	NQD01-1	Sgl. Nickel Plated Quick Disconnect	\$16.95
121124	NPQD05-5	Nickel Plated Quick Disconnect Set (5)	\$54.00
221527	100012407	40 lbs. Salt Pellets	\$12.99
220875	SALT	10 lbs. Rock Salt	\$6.65
221203	100012455	50 lbs. Rock Salt	\$12.99

**HRO Systems**  
Hull Repair & Restoration

**Sea Recovery**



### Watermaker Parts

Order No	Mfg No	Item	List
102252	2614010473	O-Ring for Pre-Filter Housing	\$2.65
272055	593001006A-1	20 Micron Pre-Filter	\$19.50
288818	801060157	PFE 5 Micron Pre-Filter	\$19.50
288819	801130257	PFE 25 Micron Pre-Filter	\$19.50
288823	803004773	10" x 2.5" Carbon Filter	\$19.00
288825	GP-OIL16	16 oz. Crankcase Oil	\$19.25
288831	B645800003	Membrane Storage Chemical	\$39.00
288827	B646800001	2 Part Membrane Cleaning Kit	\$122.00
288867	B08020622KD	OWSE/AW 10" Filter	\$149.10
288878	B801063357	5 Micron Filter	\$93.00
288889	08020723KD	Oil/Water Filter	\$149.10
288890	B801063057	CPFE/AW 5 micron Filter	\$101.90



### Culligan Filter Elements

Order No	Mfg No	Type	List
220253	D-10	Carbon Filter (2 Pk)	\$16.30
220675	CW-F	10 Micron Sediment Filter (2 Pk)	\$9.99

**Starbrite**



### Starbrite Aqua Water Treatment & Freshener - 97016

Maintains perfect drinking water quality in boats & RVs.

Prevents foul tasting or smelly potable water.

Can be used as often as needed to ensure quality of bathing, drinking water and ice.

Prevents water from taking on chlorine, sulphur, plastic or metal odor or taste.

1 fluid ounce treats 20 gallons of water.

16 oz. bottle.

Order No	Mfg No	List
120066	97016	\$17.23

# Plumbing / Hose / Pumps / Sanitation

## WATER SYSTEM FILTERS AND HOUSINGS

### Replacement Filter Cartridges & Housings

#### 10" Max Pleated Polyester Sediment Cartridges (Fits Std. 4.5" x 10" Housings)

For chlorine taste & odor; also for fresh water flush on watermakers

Order No	Mfg No	Item	List
381823	WCBCFF975	10" x 4-1/2" 10 mic. Carbon Filter (Big Blue Ctdg.)	\$45.00



#### 10" Max Pleated Polyester Sediment Cartridges (Fits Std. 2.5" x 10" Housings)

For chlorine taste & odor; also for fresh water flush on watermakers

Order No	Mfg No	Item	List
381835	FM-WCBC975	10" 5 mic. Std. Carbon Filter (2.3/4" x 10" Ctdg.)	\$18.75



#### BB Series Sediment Cartridges Series (Fits 4.5" x 10" Housings)

Order No	Mfg No	Item	List
349806	FM-BB-10-5	10" 5 mic. sediment filter	\$22.50
349815	FM-BB-10-20	10" 20 mic. sediment filter	\$22.50



#### 10" Filter Cartridge Housing (Fits 2.5" x 10" Cartridges)

Order No	Mfg No	Item	List
381883	FM-4200WW34PR	3/4" Std. white filter housing	\$24.38
220663	FM-4200WW34PR	3/4" Std. clear filter housing	\$40.00



#### O-Ring for FM-4200WW34PR Std. White Filter Housing

Order No	Mfg No	Item	List
220676	FM-OR4-STD	Fits 3/4" Std. white filter housing	\$3.75



#### Big White Filter Cartridge Housing (Fits 4.5" x 10" Filters)

Order No	Mfg No	Item	List
381846	FM-5000WW1PR	10" White Big Blue filter housing	\$77.10



#### 10" Granular Carbon Filter

Order No	Mfg No	List
381812	FM-GAC10-N	\$12.38



#### Mounting Brackets

Order No	Mfg No	Item	List
381857	FM-WBKT-RCS	MB for 10" filter housing w/screws	\$8.13
381869	FM-BB-MBAW	MB for 10" Big White housing	\$41.25



#### O-Ring for Big Blue Housing

Order No	Mfg No	Item	List
121603	FM-OR5-BB	Fits Big Blue filter housing	\$4.83



#### Filter Wrenches

Order No	Mfg No	Item	List
381875	FM-WR500	Fits Big Blue housing	\$10.63
381896	FM-WR100	Fits standard housing	\$5.00



Aqua-Pure 3M



#### Compact Filter Cartridges

For use with the model AP200 filter housing. Removes dirt/rust, taste/odor and scale. 2 per box.

Order No	Mfg No	List
109726	5578604	\$122.45

3M Aqua-Pure



#### Standard Filter Cartridges

AP-110H/C

AP-117/5541731

Order No	Mfg No	Type	Pack	List
109729	AP-110	Universal 9-3/4" X 2-1/2" 8 GPM	5 Micron Sediment	2 \$38.44
109728	AP-117/5541731	9-3/4" x 3" 3 GPM	5 Micron - Sediment, Taste & Odor	2 \$90.50

Whale



#### Whale Aquasource Clear In-Line Water Filter

- Provides clear, fresh drinking water.
- Removes unpleasant tastes and odours.
- Contains silver which inhibits bacterial growth.
- Slim and compact.
- Easy to install and maintenance fee.
- Will last one full season or 4,500 ltrs (1,188 US gals).
- New improved design can be mounted horizontally.

Order No	Mfg No	Fits	List
353262	WF1530	15 mm plumbing	\$68.27

#### Culligan Recreational Vehicle/Marine Filter w/ 12in Flexible Hose


Disposable design. High flow rate for quick fill. Filter lasts up to 2000 gallons. One-Foot connector hose for easy hook-up to RV or boat.



Order No	Mfg No	List
221723	RV-800	\$34.99

#### Spare Filter

Order No	Mfg No	List
221734	RV-700	\$31.99



#### Seagull IV Water Filter

High capacity, fast flow chemical free purification against chemical, microbiological and aesthetic contaminants. Up to 1000 gal. avg. capacity.

Order No	Mfg No	List
103047	RS1-SG	\$148.00

Like Us On facebook

954-463-4307 • D.S. Hull Company, Inc. • www.dshullco.com