

ENGINE & CONTROLS

ENGINE OIL

Mobil



Mobil Delvac 15W40 Oil (MX)

Helps extend engine life in the most severe on and off highway applications. The advanced chemistry of these products delivers exceptional performance in both modern, high-output, low-emission engines including those with Exhaust Gas Recirculation (EGR), as well as older engines operating on low or higher sulfur fuel. Recommended for use in a wide range of heavy duty applications and operating environments found in the trucking, mining, construction, marine, and agricultural industries. Excellent control of oil thickening due to soot buildup and exposure to higher temperatures and provide outstanding resistance to oxidation, corrosion, wear, and high temperature deposits.

Order No	Mfg No	Size	List
115089	MMXDEL15W405GL	5 Gallons	\$93.10

Mobil



Mobil Delvac 5W40 Synthetic Engine Oil

Modern high output diesel engines run hotter than older engines which significantly increases the demands on engine lubricants. Current tighter engine designs reduce oil consumption, resulting in less fresh oil makeup to replenish depleted additives. Top piston rings are located higher bringing the oil film closer to the combustion chamber where temperatures increase thermal stress on the lubricant. Mobil Delvac 1 SHC 5W-40 can provide satisfactory lubrication at temperatures significantly higher than the upper limit for other extra high performance diesel engine oils. It is also fully compatible with conventional mineral oils. Mobil Delvac 1 SHC 5W-40 is recommended for use in super high performance diesel applications including turbo-charged and naturally aspirated engines designs.

Order No	Mfg No	Size	List
328023	MDL5W40SYNT	5 Gal.	\$335.80

Mobil



Mobil Delvac 1640 Oil SAE40

High performance monograde diesel engine oils formulated from advanced technology base oils and a balanced additive system. They are specifically engineered for performance in intercooled, turbo-charged engines operating under severe on and off-highway conditions. Mobil Delvac 1600 monogrades are used in a wide range of applications where a monograde lubricant is recommended.

Order No	Mfg No	Size	List
328010	MMXDL16405GL	5 Gallons	\$117.10



Shell Rotella Oil for Diesel Engines

Heavy Duty Motor Oil with Triple Protection Technology. Shell Rotella® T motor oil with Triple Protection technology is a unique, latest generation premium heavy-duty motor oil that meets or exceeds the service requirements of virtually all diesel engine manufacturers - for both the latest 2007-emission compliant and older engines. It is suitable especially for virtually all on-highway service applications, and is also suitable for off-highway applications.

Order No	Mfg No	Type	Size	List
311220	SHROT15W40QT	15W40	Qt.	\$7.65
311231	SHROT15W40GL	15W40	Gal.	\$27.20
311242	SHROT15W405GL	15W40	5 Gal.	\$106.00
310965	SHROT305QT	T30	Qt.	\$6.69
310978	SHROT30GL	T30	Gal.	\$26.40
310984	SHROT305GL	T30	5 Gal.	\$152.00
310957	SHROT40QT	T40	Qt.	\$6.69
310946	SHROT40GL	T40	Gal.	\$26.40
310939	SHROT405GL	T40	5Gal.	\$99.50

Chevron



Chevron URSA Super+ Engine Oil

Oil lasts longer between drains — Good oxidation stability protects against oil thickening during manufacturers recommended oil drain periods.

Vital engine parts are kept clean as a result of high performance detergent and dispersant additives. Excellent deposit and sludge control is provided. Low sulfated ash level minimizes the oils contribution to combustion chamber deposits, valve deposits, and stuck or broken rings.

Long engine life resulting from additives that protect highly loaded parts from scuffing and wear.

Extensive field testing and service use — This product has a proven track record of meeting customer and OEM requirements.

Extended filter life — Whether in modern electronically controlled engines or older models, Chevron Ursa Super Plus oils help extend filter life by handling the soot that clogs filters and increases valve train wear.

Order No	Mfg No	Type	Size	List
103704	CHVNUR405GAL	SAE 40	5 Gal.	\$102.00



Motor Mate Bottle

Oil to Gas Ratio

Measuring and Storage Bottle.

Simplest and best oil to gas ratio determining device. Easy to read - easy to use. Wide mouth, quart size, easy to pour, plastic bottle with printed information and accurate oil level marks, for adding precise amount of oil to gasoline in proper ratio required by engine manufacturer. For all 2-cycle engines that require mixture ratios of 100:1, 50:1, 24:1, 40:1. Measurements are in gallons and litres.

Order No	Mfg No	List
268350	MMQT	\$3.99



Evinrude/Johnson XD50™ Engine Oil

Evinrude/Johnson XD50™ is a synthetic blend oil that delivers dependable performance under heavy-use conditions. XD50 meets the specific demands of direct injection outboards and water-cooled 2-cycle outboard engines. XD50 — more reliable, less maintenance.

Reduces smoke for cleaner operation.

Protects against wear with superior lubricity.

Contains CarbX™ Combustion Cleaner.

Order No	Mfg No	Size	List
289652	0779718	Gallon	\$39.99



Evinrude/Johnson XD100™ Engine Oil

Introducing Evinrude/Johnson XD100™ oil — a premium synthetic formulation that delivers ultimate performance in direct injection and oil injection outboards. Even better, Evinrude® E-TEC™ engine owners can cut their oil usage in half — just by having an authorized Evinrude/Johnson dealer reprogram their outboard to use XD100 oil — the best oil for your engine and your wallet.

Ultimate lubricity for reduced friction and wear.

Maximum detergency reduces combustion deposits.

Smokeless, ashless and odorless.

Order No	Mfg No	Size	List
289670	0779711	Gallon	\$54.99

ENGINE & CONTROLS

ENGINE OILS

YAMAHA



Yamalube® 2-M 2-Stroke Semi-synthetic Engine Oil Type TC-W3®

2-Stroke Engine Oil Semi-Synthetic Injector Oil For Outboard Motors:

An exclusive additive blend works to guard against power robbing ring stick and carbon build up, while special additives minimize wear. This oil has been designed for the most grueling conditions your outboard faces. TC-W3® Approved: Formulated especially for outboard motors. Not recommended for WaveRunner® or Sport Boats.

Order No	Mfg No	Size	List
333076	LUB-2STRK-M1-12	Quart	\$12.83
333065	LUB-2STRK-M1-04	Gallon	\$46.32

YAMAHA

Yamalube® 4-M FC-W® 4-Stroke Engine Oil For Outboard Motors

Re-formulated to provide outstanding protection for all four-stroke outboards.

This improved formula is designed to provide extra protection during the critical cold-start period, as well as during the extended operation under heavy load that four-stroke outboards so often face.

The additive package is formulated to fight corrosion, varnish, and wear for longer engine life.

Boat owners wanting the best protection for their four-stroke outboard should look for the NMMA FC-W® rating. With FC-W®, the protection gains are:

Order No	Mfg No	SAE	Size	List
333171	LUB-10W30-FC-12	10W30	Qt.	\$10.50
333193	LUB-10W30-FC-04	10W30	Gal.	\$36.28
333261	LUB-20W40-FC-12	20W40	Qt.	\$11.26
333272	LUB-20W40-FC-04	20W40	Gal.	\$37.95

Starbrite



Starbrite Premium 2-Cycle Engine Oil TC-W3

- Meets or exceeds manufacturers' specifications - will not void engine warranty.
- NMMA approved-meets or exceeds their stringent TC-W3 requirements.
- Environmentally friendly, clean burning oil that reduces emissions.
- Engineered for operation under extreme conditions.
- For use in all 2 cycle oil injection and pre-mix engines.
- Ashless formula minimizes piston ring sticking and protects against pre-ignition problems.

Order No	Mfg No	Size	List
109427	19000	Gallon	\$41.53

MERCURY



Mercury Marine Premium Plus Outboard Engine Oil Type TCW-3 (Synthetic Blend)

Provides increased lubrication and detergents to combat the effect of low-grade fuels in two-cycle outboard engines. Reduces piston ring wear. Fights corrosion and rust. Increases engine efficiency. NMMA TCW 3 certification 3-11010.

Order No	Mfg No	Size	List
246312	92-858026K01	Quart	\$11.20
246313	92-858027K01	Gallon	\$41.00

MERCURY



Mercury Marine 2 Cycle Outboard Motor Oil (Synthetic Blend)

A synthetic blend 2-Cycle engine oil specifically formulated and developed to meet the needs of: OptiMax and Direct Fuel Injected (DFI) 2-cycle outboard engines.

Provides the maximum protection for Optimax and DFI engines even under the most extreme operating conditions. Outperforms other oils by combining a carefully modified base stock blend with a synthetic additive package. Minimizes carbon build-up to help maintain engine top end speed and acceleration. Superior lubrication for increased resistance to piston scuffing. Will mix with typical 2-cycle engine oils. Provides warranty protection for Mercury and Mariner Optimax and DFI outboards, Jet Drives and Sport Jet DFI.

Order No	Mfg No	Size	List
247132	92-858037K01	Gallon	\$47.47

MERCURY



Mercury Marine 25W40 Synthetic Blend Outboard Four Stroke Oil

Outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines. Continued use of this oil will:

- Provide outstanding wear and corrosion protection which
- Helps extend engine life.
- Maintain peak engine performance and reliability.
- Reduces oil consumption
- Recommended for use in all outboard and gasoline stern-drive/ inboard applications.

Order No	Mfg No	Size	List
246970	8M0078629	Quart	\$10.35
246969	8M0078630	Gallon	\$37.40

MERCURY



Mercury Marine 4-Cycle Engine Oil 25W40

Reduces engine wear, scuffing, scoring and corrosion; protects engine bearings from chemical attack; keeps pistons clean, rings from sticking, and prevents rust and sludge deposits. Meets API Service SG/CD specifications for use in both gasoline and diesel engines.

Order No	Mfg No	Size	List
246510	8M0078627	Quart	\$8.49
246511	8M0078628	Gallon	\$28.65

MERCURY



Mercury Marine 4-Stroke Racing (25W-50) Oil (Also for Verado)

A technology specific 25W-50 marine oil formulated for the world's first and only supercharged and intercooled outboard engine. The unmatched torque and acceleration of this engine requires maximum protection found in this well-balanced combination of today's highest quality synthetic and mineral base stocks.

Verado Oil meets the stringent marine operational requirements of all Mercury's new 4 and 6 cylinder models. First in class for all FC-W durability test properties with industry leading internal Marine engine corrosion protection.

Order No	Mfg No	Size	List
247850	8M0078014	Gallon	\$42.10

D.S. HULL
COMPANY.

Over 350 brand name manufacturers
Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.
Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!
Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.

Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: johnc@dsnullco.com

Call Pamela Hutchisson at 954-463-4307 ext. 322

Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)

Like Us On
facebook

954-463-4307 • D.S. Hull Company, Inc. • www.dsnullco.com

ENGINE & CONTROLS

FUEL TREATMENTS



Power Research, Inc.

PRI-D Complete Diesel Treatment

Industrial-strength formula used to treat bunker fuel for cruise and merchant ships, burn more completely and efficiently, releasing more energy value. The result? Diesel smoke is cut by as much as 50 percent. Transoms remain virtually soot-free and are much easier to clean. Since abrasive hard carbon from forming on pistons is not permitted to form, valves and turbochargers, engine runs better and lasts longer. Dissolves sludge and algae slime, keeps fuel tanks problem-free while saving on filters. Also a powerful fuel stabilizer keeps fuel fresh, and restores older fuel to refinery specifications. One ounce treats 16 gallons.

Order No	Mfg No	Size	List
338702	PRI-D-16	16 oz.	\$24.95
120116	PRI-D-32	32 oz.	\$38.95
120519	PRI-D-128	Gal.	\$109.95



Power Research, Inc.

PRI-G Gasoline Treatment

Refinery-grade treatment specifically designed to make today's gasoline burn more completely for maximum performance, efficiency and reliability. Prevents gasoline from forming fuel system and engine deposits and has also proven to restore old gasoline to like-new condition. One ounce will treat 16 gallons of fuel. For all 2 & 4 stroke engines.

Order No	Mfg No	Size	List
338715	PRI-G-16	16 oz.	\$24.95
338726	PRI-G-32	32 oz.	\$38.95



Yamalube Ring Free Plus Fuel Additive

Synthetic PLUS formula provides superior deposit control, cleaning fuel injectors, carburetors, intake valves, intake ports and combustion chambers. Featuring metal filmers, it also protects silver solder, copper, aluminum and steel in a fuel system from the corrosive effects of ethanol sulfate salt.

Order No	Mfg No	Size	List
333160	ACC-RNGFR-PL-12	11 oz.	\$25.76
333182	ACC-RNGFR-PL-32	Quart	\$64.45



Hammonds BioborEB® Ethanol Fuel Treatment

Ethanol Treatment for Gasoline Formulated to prevent the negative effects of ethanol blended gasoline in the marine environment. Technology proven in our aviation additives allows EB to delay phase separation in fuel tanks while controlling moisture and preventing corrosion for complete engine protection. Engine efficiency and performance is increased while detergents remove carbon deposits and varnishes, resulting in an overall better running, cleaner engine, plus adds lubricity to vital engine parts. Biobor EB also stabilizes gasoline for 18 months. 1 ounce treats 15 gallons. Exact-measure, "EZ-squeeze" bottle ensure that you dispense the correct amount.

Order No	Mfg No	Size	List
231218	160ZBIOBOREB	Pint	\$26.54



Hammonds BioborMD® Marine Diesel Additive

Marine Diesel Additive. The most comprehensive additive available for your diesel engine, Biobor MD will provide maximum efficiency and protection while on the water and completely protect your fuel during storage. Cetane is raised by up to 6 numbers which along with combustion improvers results in more complete combustion, better fuel economy and reduces soot deposits up to 94% that stain gelcoat surfaces. Additional benefits include detergents that clean injectors, added lubricity protects pumps and injection systems and corrosion inhibitors. Biobor MD also stabilizes diesel fuel for storage, controls water and anti-gelling properties that protect fuel during winter operation and storage. Two ounces treats 15 gallons. Exact-measure, "EZ-squeeze" bottle ensures that you dispense the correct amount.

Order No	Mfg No	Size	List
231236	160ZBIOBORMD	Pint	\$20.47
231261	320ZBIOBORMD	Quart	\$37.34



Hammonds BioborJF®

Diesel Biocide and lubricity additive used by commercial airlines since 1965 and the only biocide recommended by major diesel engine manufacturers worldwide. Biobor JF will kill existing algae and bacteria growth in contaminated tanks plus keep fuel clean with continuous use. Dual phase treats both fuel and water. Regular use will dramatically reduce fuel filter plugging/usage and fuel system corrosion. Biobor JF also adds lubricity back to USLD exceeding ASTM standards, protecting injectors and fuel pumps. 1 oz treats 80 gallons. Exact-measure, "EZ-squeeze" bottle ensure that you dispense the correct amount.

Order No	Mfg No	Size	List
231199	80ZBIOBOR	8 oz.	\$23.41
231198	160ZBIOBOR	16 oz.	\$31.05
231197	320ZBIOBOR	32 oz.	\$58.94
231206	GALBIOBOR	1 Gallon	\$194.40



Fuel Medics Ethanol Medic

Removes water. Improves atomization of fuel. Cleans injectors and pumps. Inhibits corrosion. Stops fuel line freeze-ups. Slows oxidation. Stabilizes fuel. Improves octane. No harmful alcohols. Reduces emissions.

Order No	Mfg No	Size	List
120050	37350	8 oz.	\$15.53
120051	37366	32 oz.	\$28.58



Fuel Medics Diesel Medic Cleaner

Use on all diesel engines. Powerful fuel system cleaner that cleans and maintains fuel allowing engine to perform the way manufacturer intended. 1 gallon treats up to 1000 gallons of diesel fuel.

Order No	Mfg No	Size	List
120054	37364	Quart	\$34.33



Fuel Medics Gasoline Medic

Designed for high performance engines. Increases power boost. Raises octane 2 points. Turns regular fuel into premium fuel. Acts as a fuel stabilizer. Removes water from fuel. Prevents phase separation. Inhibits corrosion. Cleans and lubricates the entire system. 32 oz. treats 375 gallons. 1 oz. treats 12 gallons.

Order No	Mfg No	Size	List
120052	37363	32 oz.	\$41.18



Fuel Medic Fuel Tank Medic

- Removes water.
- Improves atomization of fuel.
- Cleans injectors and pumps.
- Inhibits corrosion.
- Stabilizes fuel.
- Contains no harmful alcohols.
- One 32 oz. bottle treats up to 500 gallons.

Order No	Mfg No	Size	List
120053	37353	32 oz.	\$30.38
120055	37368	Gallon	\$102.95



ENGINE & CONTROLS

OIL ADDITIVES • FUEL TREATMENTS



Sta-Bil Marine Formula Ethanol Treatment
Prevents Ethanol fuel related damage in Marine engines
Specially formulated for vehicles/equipment used in high moisture environments
Prevents corrosion, helps remove water
Cleans fuel system for improved, in-season performance
Use AT EVERY FILL UP



Order No	Mfg No	Size	List
131215	22241	10 oz.	\$13.11
131217	22240	32 oz.	\$36.03
131218	22250	128 oz.	\$125.79



Sta-Bil Diesel Formula
Prevents sludge and sediment formation.
Cleans & Lubricates fuel injectors to improve performance.
Helps remove water that microbes and algae require for growth.
Recommended for Use at Every Fill Up.
Safe for ALL Diesel Fuels, and ALL Diesel Engines, including Agricultural and Marine.



Order No	Mfg No	Size	List
131219	22254	32 oz.	\$37.65
131221	22255	128 oz.	\$134.40



Star Tron Ring Clean +

- Formulated with latest technology deposit control compounds, plus a proprietary enzyme package designed to remove existing deposits and help prevent the formation of new deposits.
- Improves fuel combustibility to keep engines clean and operating at peak performance levels.
- Ideal for removing deposits caused by ethanol-blended fuel.
- Keeps carburetors, fuel injectors, intake ports and combustion chambers clean.
- Works in all gas and diesel engines; use every time fuel is added to keep engines in optimal condition.



Order No	Mfg No	Size	List
290124	95616	16 oz.	\$20.75



Starbrite Star*Tron Enzyme Gas Treatment

Utilizes unique enzyme technology to stabilize fuel, enhance fuel combustibility, improve performance, clean fuel injectors and carburetors and disperse moisture in gas or diesel fuel.
Mixing ratios:
*Special small engine formula: 1 oz. : 6 Gal. Gas
Regular gas engines: 1 oz. : 16 Gal. Gas
Diesel engines: 1 oz. : 32 Gal Fuel
Mixing ratios are for refills; not initial dosage.



Order No	Mfg No	Fuel	Size	List
290091	14324	Gas*	1 oz.	\$3.25
289900	93008	Gas	8 oz.	\$15.68
289912	93016	Gas	16 oz.	\$26.33
289920	93032	Gas	32 oz.	\$42.00
289934	93116	Diesel	16 oz.	\$31.40
289940	93132	Diesel	32 oz.	\$53.68

Sea Foam Motor Treatment

- Petroleum-based cleaner, lubricant, stabilizer and moisture controller that maintains fuel and oil system components.
- Will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors.
- Can be added to gasoline and diesel fuel, oil crankcases and gasoline induction/vacuum systems.
- Follow directions on the can.



Order No	Mfg No	Size	List
222253	SF-16	16 oz.	\$12.99

104+ Octane Boost

- Maximizes power, gas mileage and acceleration
- Cleans fuel injectors and the complete fuel system
 - Reduces knocks, pings and hesitation
- Improved formation with DOUBLE THE OCTANE BOOST of our regular formula. Safe for catalytic converters and oxygen sensors.
16-oz. bottle treats up to 25 gallons.



Order No	Mfg No	Size	List
131224	10410	16 oz	\$18.78



Gumout® Complete Fuel System Cleaner

- Cleans the ENTIRE fuel system.
- Maximizes fuel economy.
- Prevents future deposit buildup.
- Restores lost horsepower.
- Cleans gasoline direct injection (GDI) systems too.
- Fights damaging effects of ethanol up to 15%.
- Removes water from gasoline.
- Safe for use in turbo & supercharged vehicles.
- Helps reduce emissions.
- Will not void OEM/manufacture's warranty.
- Use every 3000 miles.
- Treats up to 21 gallons.



Order No	Mfg No	Size	List
222127	1364	6 oz.	\$11.50



Marvel Mystery Oil

Helps prevent ring stick and wear. Cleans carbon and varnish.

Order No	Size	List
220037	Pint	\$6.80
220038	Quart	\$9.45
220364	Gallon	\$37.30

Gold Eagle Carburetor and Choke Cleaner

- Dissolves gum, varnish, dirt, and carbon deposits.
- Assures faster starts, smooth idling.
- Extension tube included.
- Helps restore performance and gas mileage.



Order No	Mfg No	Size	List
220070	22005	12 oz.	\$5.99



Starbrite Gas Stabilizer

Unique formula combines gas stabilizers which prevent fuel from breaking down for up to 2 years with a polymer coating that acts like fogging oil. Completely corrosion proofs all internal engine surfaces, even places that traditional fogging oil can't reach. Great for inboard and outboard winter storage. One ounce treats 5 gallons of gas.



Order No	Mfg No	Size	List
230416	84316	16 oz.	\$15.20
231593	84332	32 oz.	\$21.75



Starbrite Star*Tron Tank Cleaner

- 64 fl. oz. treats up to a 250 gallon tank.
- Exceptional in cleaning sludge from gasoline and diesel tanks.
- Formulated to clean fuel storage tanks.



Order No	Mfg No	Size	List
289946	93664	Gallon	\$44.03



Engine Starting Fluid

- Saves starter and battery.
- Contains upper cylinder lube and corrosion inhibitor.
- Safe for oxygen sensors and catalytic converters.
- For all gasoline & diesel engines (cars, trucks, tractors, buses, marine engines, lawnmowers, snowmobiles, snowblowers, & construction equipment).

Order No	Mfg No	Size	List
220137	22004	12 oz.	\$4.99



954-463-4307 • D.S. Hull Company Inc. • www.dshullco.com

ENGINE & CONTROLS

GEAR LUBE • ANTI-FREEZE • LUBRICANTS • STEERING FLUID



Prestone

Extended Life Anti-Freeze

Prestone® Extended Life Antifreeze/Coolant is compatible with ANY antifreeze/ coolant – regardless of color – for use in ALL makes and models of cars and light duty trucks. This patented formula provides a high degree of performance durability and carefully balanced protection against temperature extremes and rust corrosion of all cooling system metals, including aluminum.

Order No	Mfg No	Size	List
328026	AF2000	Gallon Antifreeze	\$29.99
222414	AF2100	50/50 Mix Antifreeze/Water	\$20.75



Prime Full Strength Antifreeze/Coolant

Made by Prestone

Freeze-up and boil-over protection. Protects aluminum and all other engine metals. Gallon jug.

Order No	Mfg No	Size	List
220333	AF-3000	Gallon	\$23.99



Mercury Marine High Performance Gear Lube

Specifically formulated for MerCruiser stern drives. Gives added protection to bearing surfaces.

Order No	Mfg No	Size	List
246780	92-858064K01	Quart	\$15.53



Mercury Marine Premium Blend Gear Lube (80W90)

Adheres to gear and bearing surfaces and maintains protective qualities throughout the widest range of operating temperatures and loads. Improves the life expectancy of gear cases.

Order No	Mfg No	Size	List
246005	92-802844K01	8 oz. tube	\$6.79
246004	858058K01	Quart	\$14.74



Mercury Marine 2-4-C Marine Lubricant with Teflon

For lubricating linkages and external moving parts on both 2 and 4-cycle engines, drive units, steering cables, universal joints and trailer wheel bearings. Not for ball, roller or needle bearings inside outboard power heads or gear cases.

Order No	Mfg No	List
246569	92-802859Q1	\$10.49



Mercury Marine Corrosion Guard

Recommended for marine products and other equipment exposed to the elements. Has excellent resistance to water, rust and corrosion. Remains clear, doesn't peel and is harmless to painted surfaces.

Order No	Mfg No	Size	List
246072	92-802878Q55	11 oz.	\$8.15



Mercury Marine Quickleen Engine Treatment

Treats 60 gallons. Synthetic formula. Use in 2 and 4 cycle gasoline engines each time the boat is fueled.

Use in all octane grades of gasoline including gasoline containing Ethanol.

Helps restore maximum power and performance.

Removes deposits in the combustion chamber while preventing corrosion and future deposits from forming.

Order No	Mfg No	Size	List
246345	8M0047931	12 oz.	\$13.70



Mercury Marine Power Tune Internal Engine Cleaner

A laboratory and field-tested blend of chemicals designed to remove the power robbing deposits that accumulate in the combustion chambers of gasoline engines. These deposits are the result of normal combustion, low temperature operation and the use of some fuels.

Specifically recommended to assist maintaining full power and efficiency of 2 and 4 cycle engines.

Order No	Mfg No	Size	List
246650	92-858080K03	11.5 oz.	\$11.99



Mercury Marine Power Trim & Steering Fluid

A universal hydraulic fluid designed to:

- Mix with all hydraulic fluids,
- Safeguard against leakage by protecting seals and hoses,
- Guard against wear and slippage,
- Protect against foaming, oxidation, corrosion and rusting.

Order No	Mfg No	Size	List
246006	92-858074K01	8 oz. tube	\$5.95



Mercury Marine Synthetic Steering Fluid

For use in power steering systems on Mercury and Mariner outboards where synthetic SAE 0W-30W oil is recommended.

There is no need to drain the system before using this fluid - it will readily mix with the fluid in the system.

See your engine service and maintenance manual for specific applications and maintenance schedules.

Order No	Mfg No	List
247905	92-858077K01	\$18.80



Mercury Quickare Fuel Treatment

Quickare is a fuel treatment that can be used at every fill-up to:

- * Maximize engine performance with all grades of gasoline *
- * Help control corrosion, gum and varnish build-up and phase separation associated with ethanol-blended fuel *
- * Help control moisture and corrosion problems associated with non-ethanol-blended fuel *
- * Clean up existing varnish and gum deposits from fuel lines, tanks, carburetors and injectors, intake valves and spark plugs *
- * Keep fuel fresh between fill-ups - up to 3 months
- * 1 ounce treats 10 gallons - 12 ounce bottle treats 120 gallons

Order No	Mfg No	Size	List
247916	8M0047930	12 oz.	\$12.99



Pennzoil Automatic Transmission Fluid MD-3

This mineral oil automatic transmission fluid is designed for historic General Motors DEXRON® III, Ford MERCON®, and Allison C-4/C-3 service fill in all applications (transmissions, transfer cases, power

Order No	Mfg No	Size	List
103702	550042065	Quart	\$7.59

ENGINE & CONTROLS

GEAR LUBE • GREASE • HYDRAULIC FLUID

Yamalube Marine Lower Unit Gearcase Lube

Superior protection for gearcase components operating at high speeds for extended periods. Includes rust and corrosion inhibitors for long life.

Order No	Mfg No	Size	List
333092	ACC-GEARL-UB-10	10 oz.	\$10.78
333112	ACC-GEARL-UB-GL	Gallon	\$48.26

Yamalube Marine H.D. Lower Unit Gearcase Lube

Heavy Duty recommended for V-8 models.

Order No	Mfg No	Size	List
333375	ACC-GLUBE-HD-QT	Quart	\$13.96
333386	ACC-GLUBE-HD-GL	Gallon	\$44.26

Yamalube Multipurpose Gallon Pump

Universal, gallon-size container pump. Fits standard oil containers with a 1-1/2" neck.

Order No	Mfg No	List
333125	ACC-PUMP0-02-GL	\$17.71

Starbrite PTEF® Lubricant

Special PTEF® formula will not wash off. Protects from -65°F to +650°F. Reduces wear and friction. The ultimate lubricant exceeds performance of normal grease. Non-toxic, non-staining. Great on zippers, winches, etc.

Order No	Mfg No	Size	List
231588	85504	4 oz. tube	\$18.83

LubriMatic White Lithium Grease

This is an ideal lubricant for automobile, marine and other applications. It is a clean, convenient, high quality product formulated to provide excellent performance and protection in many weather and temperature conditions.

Order No	Mfg No	Size	List
200895	11357	3 oz. Tube (4 Pack)	\$14.36
200006	11350	16 oz. Tub	\$8.48

LubriMatic®

Lubrimatic Corrosion Control and Trailer Bearing Grease

A sophisticated lubricant developed for use in the severe operating conditions caused by salt water, salt air and atmospheric chemicals. It has outstanding mechanical stability, excellent water resistance and superior rust and corrosion preventive characteristics. Recommended for marine corrosion applications: boats, trailer wheel bearings or any wheel bearing subject to corrosion.

Order No	Mfg No	Size	List
200834	11399	3 oz. Tube (2 Pack)	\$8.71
200035	11406	8 oz. Tube	\$10.14
200009	11404	1 lb Can	\$10.50
200008	11402	14 oz. Cartridge	\$8.57
200007	11400	4 Pack 3 oz. Tubes	\$14.98

LubriMatic®

Lubrimatic Lower Gear Lubricant High Viscosity

Used for modern outboard and stern drive lower units. Developed specifically for high horsepower motors and others subject to heavy use.

Order No	Mfg No	Size	List
200013	11552	Quart	\$11.34

LubriMatic®

Lubrimatic Hypoid 90 Lower Gear Lubricant

For years the prominent lubricant for mechanical shift outboards and stern drives.

Order No	Mfg No	Size	List
200015	11556	Quart	\$11.34

LubriMatic®

Lubrimatic Power Pro Synthetic Gear Lube

Protects high performance marine engines against extreme operating conditions.

Order No	Mfg No	Size	List
200862	11564	Quart	\$15.01

LubriMatic®

Lubrimatic Lower Unit Adapter Fitting

Allows Lubrimatic Model 11245 to be used on Yamaha, Tohatsu and Nissan lower units. 8 mm x 1.25" thread.

Order No	Mfg No	List
200869	55-012	\$5.88

AW Hydraulic Oil

High-performance hydraulic fluids formulated from select base stocks and advanced additive technology to deliver ultimate equipment protection and extended operating life.

- Outstanding wear protection
- Excellent resistance to system rust and oil oxidation
- Maintains excellent water separating properties
- Excellent foam control and air release deliver consistent system operation.

ISO Grade

	32	46
Viscosity cSt @ 40°C	31.8	45.9
Viscosity cSt @ 100°C	5.5	6.9

Order No	Mfg No	Grade	Size	List
123333	TAW32GL	32	1 Gal.	\$21.00
123334	CAM2H-DAW463GL	46	1 Gal.	\$21.00

Shell Tellus S2M Hydraulic Fluids

High performance hydraulic fluids that use Shell's unique patented technology to provide outstanding protection and performance. They resist breakdown under heat or mechanical stress and help prevent damaging deposit formation that can decrease the efficiency of your hydraulic power system.

Order No	Mfg No	Grade	Size	List
328072	SHTS2M32	M32	5 Gallons	\$93.00
328083	SHTS2M46	M46	5 Gallons	\$88.20
328094	SHTS2M68	M68	5 Gallons	\$82.60

Shell Aeroshell Hydraulic Steering Fluid

Mineral-based hydraulic oil with low temperature characteristics that is capable of operating over a wide range of temperatures. This fluid is oxidation inhibited, and contains a special antiwear additive. AeroShell Fluid 4 is dyed red for identification and leak detection purposes.

Order No	Mfg No	Size	List
311219	SHAEROF4	Gallon	\$55.00

CAM2 Hydraulic Oils AW 5 Gallon Pail

Intended to provide a cost-effective alternative in hydraulic ram and hydraulic motor applications operating in light to moderate service conditions.

Order No	Mfg No	Grade	List
311253	CAMHDAW325GL	32	\$69.50
311264	CAMHDAW465GL	46	\$69.50
311275	CAMHDAW685GL	68	\$69.50

Like Us On
facebook

954-463-4307 • D.S. Hull Company Inc. • www.dshullco.com

ENGINE & CONTROLS

ENGINE CLEANER • GUNK DEGREASER • CORROSIONX • WD-40



Gunk Engine Brite Degreaser

The World's #1 selling Engine Degreaser!

- Heavy duty cleaning formula is packed with powerful degreasing solvents that quickly and easily remove the toughest grease, dirt, and grime.

15 oz. aerosol can.



Order No	Mfg No	List
220105	EB1	\$7.45



CorrosionX Corrosion Fighter, Lubricant and Pen-
Effective corrosion prevention compound, lubricant and penetrant. Although it may look like a typical oil-based anti corrosion spray, CorrosionX utilizes a revolutionary technology called Polar Bonding that does far more than merely slow down the corrosion process like those so-called 'corrosion inhibitors'. Corrosion X actually kills existing rust and corrosion (keeping it from spreading) and provides long-term protection

Order no.	Mfg. no.	Size	List
384101	90101	6 oz. Aerosol	
384112	90102	16 oz. Aerosol	\$17.85
384189	96801	15 oz. for Lube Gun	\$12.95



Boeshield T-9 Protectant

Developed by the Boeing Co. for aircraft use. Boeshield T-9 penetrates and displaces water, then leaves a thin waxy film that protects all metals for months. It is very effective on engines, electronics, deck hardware, tools, fishing tackle, etc. Simply spray on and wipe off excess in exposed areas.

Aerosol

Order No	Mfg No	Size	List
106265	T90004	4 oz.	\$10.99
106264	T90012	12 oz.	\$19.25

Liquid

Order No	Mfg No	Size	List
106388	T90104	4 oz. Drip Bottle	\$10.99



PB Blaster

- Exclusive concentrated penetrating catalyst has no equal.
- It can be used in countless applications:
- Spray inside distributor to start wet engines
- Stops rust and corrosion.
- Lubricates fishing reels, guns, and shock absorbers.
- Electrical equipment and relays.
- Spray on back of wheels to prevent sticking due to galvanic corrosion.
- Quickly breaks loose the surface tension of frozen parts and protects against further rust and corrosion.

Order No	Mfg No	Size	List
221587	PB-TS-CS	4 oz. can	\$4.75
140004	16-PB	11 oz. aerosol	\$7.99



Heavy Duty Corrosion X

CorrosionX Heavy Duty is for super long-term protection against serious rust and corrosion assault. For those really tough jobs where you need the ultimate protection against moisture, the answer is new CorrosionX Heavy Duty. There is no other product like it on the market today. It is a high performance, thick-film version of CorrosionX. It was developed specifically to provide maximum protection against moisture intrusion and resulting rust and corrosion. Recommended for use on boat trailers by Field and Stream.

Order No	Mfg No	Size	Type	List
384145	90104	12 oz.	Aerosol	\$15.75



CRC Salt Terminator Concentrate

Cleans and protects anything exposed to salt water, salt air or road salt. Regular use can extend the life of vehicles and equipment.

When used as a marine engine flush, it cleans and protects internal engine components extending the life of outboards, stern-drives, jet boats and personal watercraft.

Also ideal for use on trailers and flushing trailer brakes or for soaking or spraying fishing gear, tackle and dive gear.

Salt Terminator Mixer automatically dilutes the concentrate and siphons it through a standard garden hose that connects to engine's flushing unit.

Order No	Mfg No	Size	List
232442	SX-32	Quart	\$20.15
232453	SX-32M	Quart w/Mixer	\$38.35
232465	SX-128	Gallon	\$46.50



WD 40 Spray Lubricant

Loosens rusted parts and frees sticky mechanisms. Penetrates to free up frozen or rusted metal parts. Keeps controls and linkages working freely. Displaces moisture. WD-40 is a non-conductor; use it to dry out electrical or electronic equipment. Stops squeaks. Protects metal against moisture and corrosive elements. Removes tar, grease and adhesives.



Order No	Mfg No	Size	List
221737	490002	3 oz.	\$5.29
220057	490026	8 oz.	\$7.99
221726	490057	12 oz.	\$10.99
220059	10010	Gallon	\$37.70



WD-40 Big Blast Can

- Same legendary product inside; revolutionary delivery system outside.
- New wide-area spray nozzle, aerosol lubricant and protectant designed to deliver product quickly and efficiently over large areas



Order No	Mfg No	Size	List
222241	490095	18 oz.	\$13.00



Pint Spray Bottle

Order No	Mfg No	Size	List
220060	10000	Pint	\$5.90

Salt Away Products

- 100% Non Hazardous.
- 100% Non-Toxic.
- 100% Biodegradable.
- 100% Environmentally Safe.
- Water based.
- Does not react chemically or physically as an emulsifier on lubricants and coatings.
- Inhibits rusting and corrosion.
- Completely removes fresh salt.
- Breaks down layers of salt build-up.
- Ingredients are the highest quality available.
- Use on virtually all surfaces, including Magnesium, Aluminum, Iron, Steel, Stainless Steel, Chrome, Paint, Gel Coat, Nylon, Vinyl, Plastic, Glass, Wood, Leather, Rubber, Canvas.



Order No.	Mfg. no.	Size	List
120544	SA16	16 oz. Spray	\$13.85
120527	SA32	Quart No Mixer	\$18.75
120525	SA32M	Quart w/Mixer	\$49.70
120526	SA128	Gallon No Mixer	\$45.95
120557	SAM	6 oz. Mixing Unit Only	\$41.77

ENGINE & CONTROLS

CRC PRODUCTS



CRC White Lithium Grease with Teflon

- Heavy duty lubricant.
- Won't wash off, melt, or freeze.
- Ideal for metal to metal lubrication.
- Break-in lubricant for bearings, pistons, cams, etc.
- Protects riggings machinery, mechanical parts, tools.
- Superior performance in any weather and temperature.

Order No	Mfg No	Size	List
232296	06037	10 oz.	\$8.01



CRC Marine Silicone

- Won't wash off.
- Use on anything that squeaks or sticks.
- Waterproofs canvas.
- Eases on-off application of canvas fasteners, snaps and zip-pers
- Resists cold and heat. Effective from -40° to 500° F.
- Easy to spray into hard to get at places.

Order No	Mfg No	Size	List
232294	06077	9 oz. Aerosol	\$7.08



CRC Brakleen

Non-chlorinated formula meets VOC regulations in all 50 states. POWERJET technology provides a powerful spray that blasts away contaminants like grease, oil, and dirt from brake part components.

Order No	Mfg No	Size	List
122360	05050	14 oz.	\$8.32



CRC Spray Cleaner & Degreaser

This chlorinated based material quickly dissolves grease, oil & dirt from motor parts and other such equipment. Works on marine engines, non-sensitive electrical parts & equipment, motors, gears, chains, wood, canvas, fabric.

Order No	Mfg No	Size	List
232289	06019	19 oz.	\$16.72



CRC Formula 6-56 Multi-Purpose Lubricant

- Lubricates.
- Penetrates.
- Loosens rusted parts.
- Protects against corrosion.
- Fights moisture.
- Keeps stored tools from rusting.

Order No	Mfg No	Size	List
232285	06005	5 oz.	\$6.58
232287	06007	11 oz.	\$9.60
232288	06008	Gallon	\$58.94



Corrosion Block

Anti-corrosive agent, penetrant and lubricant. Kills corrosion and prevents future corrosion from occurring. Frees metal parts that are frozen by rust and corrosion. Protects electrical systems and electronics from saltwater, moisture and corrosion. Protects fishing tackle, guns, boats, R.V. units, farm equipment, trucks and autos from corrosion and rust. Provides thin protective film of corrosion protection. Does not leave a sticky, gummy residue that will attract moisture, lint and dirt. Contains no wax, tar, asphalt, silicone or teflon. Protects flexibility of rubber and extends its life. Will not deteriorate wiring insulation and most plastics.

Order No	Mfg No	Size	List
276017	CBG-2	2 oz. Tube Grease	\$7.50
276029	CBG-T	16 oz. Grease	\$27.85
276045	CBG14	14 oz. Ctdg. Grease	\$26.00
276002	CB-4	4 oz. Pump spray	\$13.38
276001	CB-12	12 oz. Aerosol	\$26.50



CRC Corrosion Inhibitor

- Forms a corrosion-proof insulating film.
- Film stays flexible – will not crack or craze.
- Seals out salt air and moisture.
- Provides long-term protection under all weather conditions.
- Easily removed with CRC Cleaner & Degreaser or petroleum solvents.

Order No	Mfg No	Size	List
232291	06026	10 oz. aerosol	\$12.15



CRC 6-56® Multi-Purpose Lubricant - Zero VOC

Zero VOC, odor-free alternative formula for market leader Marine 6-56® Multi-Purpose Lubricant. Forms a clear, thin film that lubricates & protects against wear & corrosion. It lubricates, protects, & displaces moisture all-in-one.

Order No	Mfg No	Size	List
232421	06002	11 oz.	\$9.35



CRC Marine Engine Star

- Protects outboard motors, marine engines and other internal combustion engines.
- Keeps pistons, rings and cylinder walls corrosion free – Insures longer engine life.
- Preserves fishing reels, tools and metal surfaces subject to rust and corrosion.
- Protects electrical connection in use and in storage.
- Excellent anti-seize lubricant.

Order No	Mfg No	Size	List
232292	06068	13 oz. aerosol	\$8.96



CRC Empty Spray Bottle

24 oz bottle features blank lines and charts for product and safety information. For use with bulk cleaners.

Order No	Mfg No	List
232298	14021	\$9.04



3M Silicone Paste

100% solid compound that is resistant to water and prevents oxidation on rubber or plastic parts such as weatherstrips, "O" rings, and rubber bushings. It can also be used to seal ignition systems. It has very good dielectric properties.

Order No	Mfg No	Size	List
201996	08946	8 oz.	\$36.09



USS Ultra Tef-Gel Corrosion Eliminator & Anti-Seize Lubricant

Corrosion Eliminator & Anti-Seize Lubricant. Stops corrosion of stainless steel screws in aluminum and any other dissimilar metal corrosion. Stops seizing....assemble with Tef-Gel disassemble with ease. Stops galling of stainless steel bolts and nuts.

Order No	Mfg No	Size	List
109191	TG-1	1 oz.	\$20.00
109310	TG-2T	2 oz.	\$28.00
109318	TG-4	4 oz.	\$38.00



954-463-4307 • D.S. Hull Company Inc. • www.dsnullco.com

ENGINE & CONTROLS

CORROSION BLOCK • ULTRA TEF-GEL • SUPER LUBE • GASKET MATERIAL • OIL ABSORBENT PADS & BOOMS

Super Lube



Super Lube® Multi-Purpose Aerosol

Super Lube® Aerosol with Syncolon® (PTFE) is a multi-purpose lubricant, safe to use on anything that slides, swivels, rolls or squeaks. It withstands temperatures within a range of -40°F to 450°F. Super Lube® Aerosol with Syncolon® (PTFE) is a synthetic, heavy duty lubricant that is compatible with most other lubricants. Super Lube® Aerosol with Syncolon® (PTFE) contains the same synthetic grease that is in the Super Lube® tubes, cans, pails and drums. It is temporarily thinned with a solvent that cleans and penetrates the components to be lubricated, carrying the grease to those components. After a short time, the solvent evaporates, leaving behind a thin film of grease that provides long term lubrication that does not evaporate, dry or wash out.

Order No	Mfg No	Size	List
202762	31040	6 oz. Spray Lubricant	\$9.91

Super Lube



Synco Super Lube Synthetic Grease

Multipurpose synthetic lubricant with Teflon®. Use on: Sail tracks, Winches, Stern drives, Cables, Fishing reels. Get maximum protection against wear, rust and corrosion. Super Lube® is impervious to salt water and bad weather, at temperatures from 65° below to 650° F. It is the ultimate protection for hunting and fishing gear, but it is also the ideal general purpose lubricant throughout the home.

Order No	Mfg No	Size	List
202760	21010	1/2 oz. Tube Grease	\$4.43
202761	21030	3 oz. Tube Grease	\$7.46
202762	31040	6 oz. Spray Lubricant	\$9.91
202764	41160	400 gm Tub Grease	\$16.44
202780	41150	400 gm Ctdg. Grease	\$116.09

Absorbents Midwest

100% polypropylene will not deteriorate.



Oil Absorbent Booms

Order No	Mfg No	Size	List
268016	11505	5" x 10'	\$40.50



Oil Absorbent Pads

Sold individually.

Order No	Mfg No	Size	Qty. Per Bale	List
104148	13200-S	15' x 18" x 3/16"	200	\$0.99
268004	18100	15' x 18" x 3/8"	100	\$1.98



Oil Absorbent Pillows

Order No	Mfg No	Size	List
202028	16126	9" x 15"	\$8.95



Oil Absorbent Bilge Bobbers

Absorbs 2 quarts of oil from bilge water.

Order No	Mfg No	Size	List
268003	11057	4" x 18"	\$13.50



Gasket Material

Order No	Mfg No	Dimensions	Material	List
234510	9732	1/16" x 12" x 36"	Cork	\$6.99
234506	37700	1/8" x 12" x 36"	Cork	\$9.35
234511	9731	1/32" x 9" x 36"	Fiber	\$4.65
234507	37711	1/64" x 9" x 36"	Fiber	\$2.94
234508	37722	1/32" x 12" x 20"	High Temperature	\$5.70
234509	37733N	1/16" x 12" x 36"	High Temperature	\$10.59



Forespar MareLube Tef 45 Corrosion Block/Anti-Seize

Premium high load, anti seize and corrosion inhibitor developed to exceed the needs of the marine industry.

Packed with 45% PTFE micropowder to provide water resistant, wear and corrosion barrier second to none. It is also a superior dielectric grease for protecting marine electric applications. It also has an extreme operating temperature range.

Order No	Mfg No	Size	List
334774	770065	6 cc Syringe	\$13.95



Permatex® Low VOC Gasket Remover

Quickly removes all solvent-based gasketing adhesives and sealants, even baked-on gaskets. Use to remove gasket from any flange material in 15-20 minutes. Prepares flanges for new gasket. Gasket Remover reduces scraping and grinding – eliminating potential damage to flanges. VOC compliant – can be used in all 50 states.

This Gasket Remover is NOT recommended for silicone gaskets (use Permatex® Silicone Stripper™ – part number 80649).

Order No	Mfg No	Size	List
221516	80645	4 oz.	\$20.79



Permatex® Copper Spray-A-Gasket® Hi-Temp Adhesive Sealant

Fast-drying, metallic copper sealant helps dissipate heat, prevents gasket burnout and improves heat transfer. Fills minor surface irregularities. Seals instantly. Fills hot spots and surface imperfections. Temperature range -50°F to 500°F (-45°C to 260°C); resists all types of automotive fluids, especially gasoline. Level 3*

Suggested Applications: Cylinder head gaskets, carburetor gaskets, exhaust manifold gaskets and other high temperature applications

Order No	Mfg No	Size	List
258327	80697	9 oz.	\$12.99



High Temp RTV Silicone Gasket

Formulated for hi-temp applications, or heavy-duty use (such as towing, etc.). Replaces almost any cut gasket by making reliable "formed-in-place" gaskets that resist cracking, shrinking and migrating caused by thermal cycling. Coats pre-cut gaskets to increase reliability. Temperature range -65°F to 650°F (-54°C to 343°C) intermittent; resists auto and shop fluids. First generation 1970-1980 gasket maker.

Suggested Applications: Valve covers, oil pans, timing covers, water pumps, thermostat housings, transmission pans.

Order No	Mfg No	Size	List
220269	81160	3 oz.	\$8.07



ENGINE & CONTROLS

PERMATEX GASKET MAKERS SEALANTS & THREAD LOCKER • GASKET SEALERS



Ultra Copper RTV Silicone Gasket Maker

For 4-cylinder, turbocharged or high-performance engines. Most advanced high temperature RTV silicone gasket available. Sensor-safe, low odor, noncorrosive. Superior adhesion. More oil resistant than conventional silicones. Eight times more flexible than cut gaskets. Temperature range: -75° to 700° F intermittent. Suggested application: exhaust manifolds, headers, valve covers, oil pans, timing covers, water pumps, thermostat housings.

Order No	Mfg No	Size	List
221283	81878	3 oz. tube	\$9.96



Permatex Aviation Form-A-Gasket

Slow-drying, non-hardening brush-top sealant approved for use in aviation as well as automotive applications. Temperature range -65° F to 400° F; resists gasoline, oil and grease. Suggested applications: close-fitting machined surfaces, sealing hoses, solid gaskets. 4 oz. jar. with brush applicator.

Order No	Mfg No	List
220089	80019	\$10.02



Permatex Sensor-Safe Blue RTV Silicone Gasket

The original blue. Will not foul oxygen sensors. Replaces almost any cut gasket. Makes reliable "formed-in-place" gaskets that resist cracking, shrinking and migrating. Coats pre-cut gaskets to increase reliability. Temperature range -65° F to 500° F intermittent; resists auto and shop fluids. Suggested applications: valve covers, oil pans, timing covers, water pumps, thermostat housings, transmissions pans. 3 oz. tube.

Order No	Mfg No	List
220090	80022	\$6.36



Permatex Anti-Seize Lubricant

A highly refined blend of aluminum, copper and graphite lubricants. Use during assembly to prevent galling, corrosion and seizing and to assure easier disassembly. Temperature range: -60°F to 1600°F (-51°C to 871°C). Salt, corrosion and moisture resistant – ideal for marine use.

Order No	Mfg No	Size	List
220096	81343	1 oz.	\$5.76
220080	80078	8 oz.	\$14.19



Permatex High Strength Threadlocker Red

OEM specified. Especially well suited for permanently locking studs and press fits. Adds 3,000 PSI holding power on slip and press fit assemblies. Replaces set screws and snap rings. Locks against vibration loosening. Suggested applications: Cylinder block and rocker arm studs, ring gear bolts, frame bolts, shock absorber bolts.

Order No	Mfg No	Size	List
220092	24206	2.5 ml	\$5.34
220220	27100	6 ml	\$8.01
221292	27140	36 ml	\$35.93



Permatex Threadlocker Blue

Designed for the locking and sealing of threaded fasteners which require normal disassembly with standard hand tools. The product requires normal disassembly with standard hand tools. The product cures when confined in the absence of air between close fitting metal surfaces. It protects threads from rust and corrosion and prevents loosening from shock and vibration. Particularly suited for applications on less active substrates such as stainless steel and plated surfaces, where disassembly is required for servicing.

Order No	Mfg No	Size	List
220092	24206	2.5 ml	\$5.34
221314	24200	.20 oz.	\$8.01



Permatex® Water Pump & Thermostat RTV Silicone Gasket

A noncorrosive, sensor-safe RTV silicone gasket material formulated specifically for water pumps and thermostat housings. Highest water-glycol resistance available in an RTV silicone. Temperature range of -65°F to 500°F (-54°C to 260°C) intermittent. Suggested Applications: Water pump and thermostat housings.

Order No	Mfg No	Size	List
258318	22071	.5 oz. Tube	\$5.91



Form-A-Gasket No. 1 Sealant

Fast-drying, hard-setting sealant designed for sealing rigid materials and flanges or patching holes and joints where permanent assembly is desired. Temperature range -65° F to 400° F; resists common shop fluids and fuels. Suggested applications: freeze plugs, threaded connections, manifold gaskets.

Order No	Mfg No	Size	List
220085	80007	1.5 oz.	\$5.28
220086	80008	3 oz.	\$7.14



Permatex® Ultra Black® Maximum Oil Resistance RTV Silicone Gasket Maker

OEM specified. For dealership warranty requirements, ensures extended drivetrain warranty compliance. Fast-curing formula. Sensor safe, low odor, noncorrosive. Meets performance specs of OEM silicone gaskets. Retains high flexibility, oil resistance properties through use of a patented adhesion system. Temperature range -65°F to 500°F (-54°C to 260°C) intermittent; resists auto and shop fluids and vibration. Suggested Applications: Valve covers, oil pans, intake manifold end seals, timing covers, transmission pans

Order No	Mfg No	Size	List
258309	82180	3.35 oz. tube	\$9.48



No. 2 Sealant

Slow-drying, non-hardening sealant designed for sealing cut gaskets and stamped parts. Allows for easy disassembly if required. Temperature range -65° F to 400° F; resists common shop fluids and fuels. Use where sealing is more important than adhesion. Suggested applications: valve cover gaskets, oil pan gaskets.

Order No	Mfg No	Size	List
220087	80015	1.5 oz.	\$5.13
220088	80016	3 oz.	\$6.90



954-463-4307 • D.S. Hull Company Inc. • www.dshullco.com